




 PRODUCT-DETAILS

1STQ005334B0000

Control and Automation Board



General Information

Product ID	1STQ005334B0000
EAN	8015646858931
Catalog Description	Control and Automation Board
Long Description	Fixing Brackets For Is2 H1400 Or H1600

Technical

Standards	IEC 62208, IEC 61439-1-2 NEMA 1, 3R, 12
Sub-Function 3	Mounting bracket
Suitable For	Automation and Control Enclosures (System pro E control) - IS2
Suitable for Product Class	Automation and Control Enclosures (System pro E control)
Accessory Type	21. Accessories
Mounting Type	Kit Pre assembled
Product Type	5B5B30B391
Surface Finishing	Orange Peel, RAL 7035
Material	Pickled steel sheet
Options Provided	11. Fixing brackets for IS2 H=1400 or H=1600mm
Remarks	ETIM

Material Compliance

RoHS Information	1STC860065
RoHS Status	No declaration needed
RoHS Date	20140108

Environmental

Degree of Protection	acc. to IEC 60529 IP65
Environmental Information	1STC804013D0209

Dimensions

Product Net Width	40 mm
Product Net Height	40 mm
Product Net Depth / Length	150 mm
Product Net Weight	0.2 kg
Reference Depth/Length	300 mm
	400 mm
	500 mm
	600 mm
	800 mm
	1000 mm
Reference Height	1400 mm
	1600 mm
Reference Width	400 mm
	600 mm
	800 mm
	1000 mm
	1200 mm
	1600 mm

Ordering

Package Level 1 Units	1 piece
Package Level 1 Gross Weight	0.3 kg

Certificates and Declarations

Declaration of Conformity - CE	1STC860113
--------------------------------	------------

Installation

Instructions and Manuals	1STM604121R0008
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	1STC804013D0209
-----------------------------------	-----------------

Classifications

ETIM 8	EC002625 - Mounting accessories (enclosure/cabinet)
WEEE Category	4. Large Equipment (Any External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85381000
eClass	V11.1 : 27182807

Categories

Low Voltage Products and Systems → Enclosures → Automation and Control Enclosures (System pro E control) → Enclosures - Baying (Horizontal Joining) → IS2

