FCC/S1.5.1.1 1/3



PRODUCT-DETAILS

FCC/S1.5.1.1

FCC/S1.5.1.1 Fan Coil Controller, 2 x PWM, 0-10 V, MDRC



	_	_	
Ganai	al Ir	•forr	nation

 Extended Product Type
 FCC/S1.5.1.1

 Product ID
 2CDG110234R0011

 EAN
 4016779011518

Catalog Description

FCC/S1.5.1.1 Fan Coil Controller, 2 x PWM, 0-10 V, MDRC

For the control of fan coil units. Via two electronic outputs, two thermoelectric or one motor-driven valve drive can be controlled for heating and cooling. For the fan control the devices features an analog output for the control of a continues fan. A relay output switches an additional load of up to 16 A, such as auxiliary heating. Over 4 inputs the room status can be detected and monitored (Use for window contact, dew point sensor, level sensor or temperature sensor). Also it is possible to connect one analog room control unit (SAR/A or SAF/A) to the inputs of the device. The device has an integrated room temperature controller for the control of the room temperature, which can be used directly to control the outputs of the device.

Long Description

The device supports the ABB i-bus Tool for advanced diagnosis and improved commissioning.

Installation

Instructions and 2CDG941188P0002 Manuals

FCC/S1.5.1.1 2/3

Mounting Type DIN-Rail

Technical	
Data Sheet, Technical Information	2CDC508218D0211
Special Functions	Valve Protection
Number of Outputs	4
Number of Digital Inputs	4
Number of Inputs	Analog (0 10 V / 4 20 mA) 4
Compatible Bus Systems	KNX (TP)
Manipulated Variable	Continious
Product Range	KNX
Manual Operation	No
Number of Batteries	0

Electrical		
Maximum Switching Current	16 A	
Output Current	0.5 A	
Maximum (I _{out})		
Power Loss	3 W	

Design	
Color	light grey

Material Compliance	
RoHS Information	2CDK508228D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP20

Dimensions	
Width in Number of Modular Spacings	6
Product Net Width	105 mm
Product Net Height	90 mm
Product Net Depth / Length	63.5 mm
Product Net Weight	0.21 kg
Dimension Diagram	2CDC072026F0017

FCC/S1.5.1.1 3/3

Certificates and Declarations		
CB Certificate	9AKK107991A3187	
Declaration of	2CDK508228D2701	
Conformity - CE		

Classifications	
ETIM 9	EC001586 - Heating actuator for bus system
eClass	V11.0 : 27143147
UNSPSC	39121801
Object Classification Code	А
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Accessories				
Identifier	ier Description Type Qu		antity	Unit Of Measure
2CDG120049R0011	TSA/K230.2 Thermoelectric Valve Drive, 230 V	TSA/K230.2	1	piece
2CDG120050R0011	TSA/K24.2 Thermoelectric Valve Drive, 24 V	TSA/K24.2	1	piece
2CKA006134A0346	SAR/A1.0.1-24 RT-control element	SAR/A1.0.1-24	1	piece
2CKA006134A0348	SAF/A1.0.1-24 HVAC-control element	SAF/A1.0.1-24	1	piece

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow Heating,\ Ventilation\ and\ Air\ Conditioning \rightarrow Fan\ Coil\ Controllers$

