




PRODUCT-DETAILS

BCM/S16.2.0.1

BCM/S16.2.0.1 BAC Module, 16 Digital Inputs, 100-240 V



General Information	
Extended Product Type	BCM/S16.2.0.1
Product ID	2CDG120063R0011
EAN	4016779064415
Catalog Description	BCM/S16.2.0.1 BAC Module, 16 Digital Inputs, 100-240 V
Long Description	Extension module for the BAC/S Building Automation Controller KNX with 16 digital inputs for 100 - 240 V AC. Connection of the cables via pluggable spring terminals.
Installation	
Instructions and Manuals	9AKK107046A7507
Mounting Type	DIN-Rail
Technical	
Data Sheet, Technical Information	9AKK107046A7507
Number of Digital Inputs	16

Number of Inputs	Analog (0 ... 10 V / 4 ... 20 mA) 16
Product Range	KNX
Manual Operation	No
Number of Batteries	0

Electrical

Voltage Range	110 ... 230 V AC
Auxiliary Voltage AC/DC	24 V DC
Power Loss	6 W

Design

Color	grey
-------	------

Material Compliance

RoHS Status	No declaration needed
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Product Net Width	34 mm
Product Net Height	135 mm
Product Net Depth / Length	74 mm
Product Net Weight	0.23 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK107046A7507
--------------------------------	-----------------

Classifications

ETIM 9	EC001419 - PLC digital I/O-module
eClass	V11.0 : 27242204
UNSPSC	32151705
Object Classification Code	A
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Heating, Ventilation and Air Conditioning → Central HVAC Controllers

