



PRODUCT-DETAILS

TD-C1.1

TD-C1.1 Gas Detector with Relay Contact



General Information	
Extended Product Type	TD-C1.1
Product ID	2CDG220023R0011
EAN	4013614552410
Catalog Description	TD-C1.1 Gas Detector with Relay Contact
Long Description	The Gas Detector is designed to monitor residential and commercial rooms. It can be used as a standalone device, or connected to the inputs of ABB intrusion and fire alarm control panels or ABB i-bus® KNX devices. It requires an external power supply. The detector is also highly sensitive to combustible gases. It is suitable for monitoring combustible gases such as propane, methane and butane, as well as acetylene, city gas and natural gas.
Installation	
Instructions and Manuals	2CDG941223P0001
Mounting Type	Surface Mounted

Technical	
Data Sheet, Technical Information	2CDC513093D0211
Number of Outputs	1
Number of Batteries	0

Electrical	
Auxiliary Voltage AC/DC	12 V DC
Maximum Switching Current	5 A
Power Loss	2 W

Design	
Color	white

Material Compliance	
RoHS Information	2CDK513094D2701
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Degree of Protection	IP20

Dimensions	
Product Net Width	114 mm
Product Net Height	47 mm
Product Net Depth / Length	114 mm
Product Net Weight	0.121 kg

Certificates and Declarations	
Declaration of Conformity - CE	2CDK513094D2701

Classifications	
ETIM 9	EC002455 - Gas detector
eClass	V11.0 : 40050103
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Intrusion Alarm Systems → Conventional → Technical Detectors

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → Security

