



PRODUCT-DETAILS

BA-M-4.230.1.1

BA-M-4.230.1.1 Blind Actuator, 4-fold 230 V, MDRC



General Information	
Extended Product Type	BA-M-4.230.1.1
Product ID	2CDG510028R0011
EAN	4053546111347
Catalog Description	BA-M-4.230.1.1 Blind Actuator, 4-fold 230 V, MDRC
Long Description	For controlling 4 independent blind or roller shutter drives. The bus can be connected via enclosed terminal block.

Installation	
Instructions and Manuals	2CDG941251P0001
Instructions and Manuals (Part 2)	2CDG941252P0001
Mounting Type	DIN-Rail

Technical	
Data Sheet, Technical Information	2CKA001373B5408
Data Sheet, Technical Information (Part 2)	2CKA001473B5408

Special Functions	Switching
Number of Outputs	4
Number of LEDs	1
Compatible Bus Systems	free@home (TP)
Product Range	free@home
Manual Operation	No
Number of Batteries	0

Electrical

Current Type	AC/DC
Voltage Range	110 ... 230 V AC
Output Voltage (U _{out})	230 V AC
Rated Current (I _n)	6 A
Maximum Switching Current	6 A
Maximum Switching Power	1200 W
Power Loss	1.5 W

Design

Color	grey
-------	------

Material Compliance

RoHS Information	2CKA200000E7788
RoHS Status	Following EU Directive 2011/65/EU
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Width in Number of Modular Spacings	4
Product Net Width	70 mm
Product Net Height	90 mm
Product Net Depth / Length	63.5 mm
Product Net Weight	0.272 kg
Built-In Depth (t ₂)	63.5 mm
Dimension Diagram	2CDC072033F0015

Certificates and Declarations

Declaration of Conformity - CE	9AKK108467A6039
--------------------------------	-----------------

Classifications

ETIM 9	EC001330 - Shutting actuator for bus system
eClass	V11.0 : 27143128
UNSPSC	39121801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → free@home → Shading Control

