SA/U1.16.2 1/3



PRODUCT-DETAILS

SA/U1.16.2

SA/U1.16.2 Switchactuator 1f, FM



General Information	
Extended Product Type	SA/U1.16.2
Product ID	2CKA006151A0280
EAN	4011395309865
Catalog Description	SA/U1.16.2 Switchactuator 1f, FM
Long Description	For switching 230 V~ consumers. Inputs for potential free contacts. The bus can be connected via enclosed terminal block.
Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Technical	
Data Sheet, Technical Information	2CKA001373B5241

Data Sheet, Technical

2CKA001473B5241

SA/U1.16.2 2/3

Information (Part 2)	
Number of Outputs	1
Maximum Number of Switching Outputs	1
Number of Inputs	3
Compatible Bus Systems	KNX (TP)
Product Range	KNX
Number of Batteries	0

Electrical	
Rated Voltage (U _r)	230 V
Rated Current (In)	16 A
Maximum Switching Current	6 A
Rated Frequency (f)	50 Hz
Load Type	AC1

Material Compliance	
RoHS Information	2CKA200000E7273
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA30999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air	-545 °C
Temperature	
Degree of Protection	IP20

Dimensions	
Product Net Width	48 mm
Product Net Height	50 mm
Product Net Depth / Length	27.6 mm
Product Net Weight	51 g

Certificates and Declarations	
Declaration of	2CKA100000E4508
Conformity - CE	

Classifications	
ETIM 9	EC001097 - Switch actuator for bus system
eClass	V11.0:27143125
UNSPSC	31251516

SA/U1.16.2 3/3

IDEA Granular Category 3268 >> Switch actuator Code (IGCC)

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow Standard Outputs \rightarrow Switch Actuators 16 A





