



PRODUCT-DETAILS

SU-F-2.0.PB.1-WL

SU-F-2.0.PB.1-WL WL-Sensor Unit 2gang, 44



General Information	
Extended Product Type	SU-F-2.0.PB.1-WL
Product ID	2CKA006200A0107
EAN	4011395215968
Catalog Description	SU-F-2.0.PB.1-WL WL-Sensor Unit 2gang, 44
Long Description	For transmitting switching, push-button, dimming and blind commands to an ABB-free@home® actuator. Communication with the free@home system is carried out wireless. For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. With fixing claws.

Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted

Technical	
Data Sheet, Technical	No document needed

Information

Number of Buttons	2
Number of Actuation Points	4
Compatible Bus Systems	free@home wireless
Product Range	free@home
Number of Batteries	0

Electrical

Rated Voltage (U _r)	230 V
Auxiliary Voltage AC/DC	230 V AC/DC
Rated Frequency (f)	50 / 60 Hz

Material Compliance

RoHS Information	9AKK104295D8727
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -5 ... +45 °C
Degree of Protection	IP20

Dimensions

Product Net Width	55 mm
Product Net Height	55 mm
Product Net Depth / Length	40.9 mm
Product Net Weight	41 g
Built-In Depth (t ₂)	32 mm

Certificates and Declarations

Declaration of Conformity - CE	2CKA100000E3569
Declaration of Conformity - UKCA	2CKA400000E0386

Classifications

ETIM 9	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
UNSPSC	39121801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → free@home → User Operation → Bus Coupling Units / Push Button Coupling Units → Push Button Coupling Units

