

PRODUCT-DETAILS

MSA-F-1.1.1-WL

Lighting Control Horizontal 180...180 °



General Information	
Extended Product Type	MSA-F-1.1.1-WL
Product ID	2CKA006200A0117
EAN	4011395216064
Catalog Description	Lighting Control Horizontal 180180 °
Long Description	With select lens for detection with animal access. For automatic switching of ABB- free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. For switching 127 V~/230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.

Installation		
Instructions and Manuals		No document needed
Mounting Type		Flush Mounted
© 2024 ABB. All rights reserved.	2024/04/12	Subject to change

Subject to change without notice

Mounting Position	vertical
Mounting Height	Optimum 1.1 1.3 m

Technical	
Data Sheet, Technical Information	No document needed
Number of Outputs	1
Number of Channels	1
Compatible Bus Systems	free@home (TP)
Product Range	free@home
Minimum Switching Time	Switch-On 30 second [unit of time]
Number of Batteries	0

Electrical	
Rated Current (In)	10 A
Maximum Switching Power	2300 W
Load Type	ohmic

Design	
Material	Thermoplastic

RoHS Information	9AKK104295D872
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendmen
REACH Declaration	2CKA309999E9999
REACH Information	True - contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental Ambient Air	Operation -5 +45 °C
	Operation -5 +45 °C
Ambient Air	Operation -5 +45 °C IP20
Ambient Air Temperature	
Ambient Air Temperature Degree of Protection Dimensions	
Ambient Air Temperature Degree of Protection	IP20

 Product Net Weight
 103 g

 Built-In Depth (t2)
 32 mm

Certificates and Declarations

Declaration of Conformity - CE Declaration of Conformity - UKCA

2CKA100000E3577

2CKA400000E0310

Classifications	
ETIM 9	EC001582 - Movement sensor for bus system
eClass	V11.0 : 27143144
UNSPSC	39121801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow free@home \rightarrow Lighting Control \rightarrow Motion Detectors

