SU-F-2.0.PB.1 1/3



PRODUCT-DETAILS

SU-F-2.0.PB.1

SU-F-2.0.PB.1 Sensor Unit 2gang, 44x44



| General Information | |
|-----------------------|--|
| Extended Product Type | SU-F-2.0.PB.1 |
| Product ID | 2CKA006220A0223 |
| EAN | 4011395187265 |
| Catalog Description | SU-F-2.0.PB.1 Sensor Unit 2gang, 44x44 |
| Long Description | For transmitting switching, push-button, dimming and blind commands to an ABB-free@home® actuator. For contacting 2gang rocker 6230-2x-xxx, 6231-2x-xxx, 6232-2x-xxx, 6233-2x-xxx and 6234-2x-xxx. The bus can be connected via enclosed terminal block. |

| Installation | |
|-----------------------------|--------------------|
| Instructions and Manuals | No document needed |
| Mounting Type | Flush Mounted |

Technical

Data Sheet, Technical No document needed

SU-F-2.0.PB.1 2/3

| | _ | | | | |
|-----|------|-----|-----|----|--|
| ln: | F~ u | | ~+: | on | |
| 111 | ıoı | 111 | au | OH | |

| Number of Buttons | 2 |
|-------------------------------|----------------|
| Number of Actuation Points | 4 |
| Compatible Bus Systems | free@home (TP) |
| Product Range | free@home |
| Number of Batteries | 0 |

Material Compliance

| RoHS Information | 2CKA200000E4999 |
|---|--|
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Declaration | 2CKA309999E9999 |
| REACH Information | True - contains substances > 0.1 mass percentage |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Environmental

| Ambient Air | Operation -5 +45 °C |
|----------------------|---------------------|
| Temperature | |
| Degree of Protection | IP20 |

Dimensions

| 45 mm |
|-------|
| 45 mm |
| 24 mm |
| 20 g |
| 9 mm |
| |

Certificates and Declarations

| Declaration of Conformity - CE | 2CKA100000E1387 |
|-------------------------------------|-----------------|
| Declaration of Conformity - UKCA | 2CKA400000E0353 |

Classifications

| ETIM 9 | EC000672 - Touch sensor for bus system |
|----------------|--|
| eClass | V11.0 : 27143138 |
| UNSPSC | 39121801 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

SU-F-2.0.PB.1 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow User\ Operation \rightarrow Bus\ Coupling\ Units\ /\ Push\ Button\ Coupling\ Units\ \rightarrow\ Push\ Button\ Coupling\ Units$





