MD-F-1.0.PB.1 1/3



PRODUCT-DETAILS

MD-F-1.0.PB.1

Lighting Control Horizontal 180...180 °



General Information	
Extended Product Type	MD-F-1.0.PB.1
Product ID	2CKA006220A0229
EAN	4011395187326
Catalog Description	Lighting Control Horizontal 180180 °
Long Description	With select lens for detection with animal access. For automatic switching of ABB-free@home® actuators dependent on movement and brightness. Switch-off delay of the actuator can be programmed via the web interface of the System Access Point. The bus can be connected via enclosed terminal block.

Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted
Mounting Position	vertical
Mounting Height	Optimum 1.1 1.3 m

Te	Cl	nr	ΉC	ca

Data Sheet, Technical Information

No document needed

MD-F-1.0.PB.1 2/3

Compatible Bus Systems	free@home (TP)
Product Range	free@home
Number of Batteries	0
Design	
Material	Thermoplastic
Material Compliance	
RoHS Information	2CKA200000E5000
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	True - contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Ambient Air Temperature	Operation -5 +45 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	43.9 mm
Product Net Height	29.7 mm
Product Net Depth / Length	46 mm
Product Net Weight	23 g
Built-In Depth (t ₂)	9 mm
Certificates and Declarations	
Declaration of Conformity	2CKA100000E1388
- CE Declaration of Conformity - UKCA	2CKA400000E0311
- Orion	
Classifications	
ETIM 9	EC001582 - Movement sensor for bus system
eClass	V11.0 : 27143144
UNSPSC	39121801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

MD-F-1.0.PB.1 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Lighting\ Control \rightarrow Motion\ Detectors$





