SSA-F-1.1.PB.1 1/3



PRODUCT-DETAILS

SSA-F-1.1.PB.1

SSA-F-1.1.PB.1 Sens/ Sw.act. 1/1, 44x44



General Information	
Extended Product Type	SSA-F-1.1.PB.1
Product ID	2CKA006220A0232
EAN	4011395187357
Catalog Description	SSA-F-1.1.PB.1 Sens/ Sw.act. 1/1, 44x44
Long Description	For switching 127 V~/230 V~ consumers. With integrated switch actuator. Switching function is available also without prior programming (pre-configured). Configuration can be changed later via the web interface (groups, scenes, etc.). For contacting 1gang rocker 6230-10-xxx, 6231-10-xxx, 6232-10-xxx, 6233-10-xxx und 6234-10-xxx. The bus can be connected via enclosed terminal block. When installing in the flush-mounted box, a spatial division between the bus cable and 127 V/230 V installation cable is to be adhered to! If this minimum distance is not possible, use electronic boxes or insulating tubes.

Installation	
Instructions and Manuals	No document needed
Mounting Type	Flush Mounted

SSA-F-1.1.PB.1 2/3

Technical	
Data Sheet, Technical Information	No document needed
Number of Outputs	1
Maximum Number of Switching Outputs	1
Compatible Bus Systems	free@home (TP)
Product Range	free@home
Number of Batteries	C
Electrical	
Voltage Range	230 230 V
Rated Current (In)	10 A
Maximum Switching Current	10 A
Maximum Switching Power	2300 W
Load Type	ohmid
RoHS Information RoHS Status	2CKA200000E5002 Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Status	
REACH Declaration	
NETTO I Decidiation	2CKA309999E9999
REACH Information	
	True - contains substances > 0.1 mass percentage
REACH Information Conflict Minerals Reporting Template	True - contains substances > 0.1 mass percentage
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air	True - contains substances > 0.1 mass percentage 9AKK108468A3363
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air Temperature	2CKA309999E9999 True - contains substances > 0.1 mass percentage 9AKK108468A3363 Operation -5 +45 °C
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air	True - contains substances > 0.1 mass percentage 9AKK108468A3363 Operation -5 +45 °C
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air Temperature	True - contains substances > 0.1 mass percentage 9AKK108468A3363
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air Temperature Degree of Protection	True - contains substances > 0.1 mass percentage 9AKK108468A3363 Operation -5 +45 °C
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air Temperature Degree of Protection Dimensions	True - contains substances > 0.1 mass percentage 9AKK108468A3363 Operation -5 +45 °C
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air Temperature Degree of Protection Dimensions Product Net Width	True - contains substances > 0.1 mass percentage 9AKK108468A3363 Operation -5 +45 °C
REACH Information Conflict Minerals Reporting Template (CMRT) Environmental Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth /	True - contains substances > 0.1 mass percentage 9AKK108468A3363 Operation -5 +45 °C IP20 44 mm

Certificates and Declarations

Declaration of Conformity - CE

Declaration of Conformity - UKCA 2CKA100000E1390

2CKA400000E0338

SSA-F-1.1.PB.1 3/3

Classifications		
ETIM 9	EC001097 - Switch actuator for bus system	
eClass	V11.0 : 27143125	
UNSPSC	31251516	
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Lighting\ Control \rightarrow Switch\ Actuators\ 10\ A$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow free@home \rightarrow Standard\ Outputs \rightarrow Switch\ Actuators\ 10\ A$





