

PRODUCT-DETAILS

TB/U1.1.1-CG TB/U1.1.1-CG Control element 1g.



| General Information | |
|----------------------------|--|
| Extended Product Type | TB/U1.1.1-CG |
| Product ID | 2CKA006300A1538 |
| EAN | 4011395230725 |
| Catalog Description | TB/U1.1.1-CG Control element 1g. |
| Long Description | Ordering possible only in connection with the design ID. The icons and/or texts are configured by means of a web configuration tool. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1 |

| Installation | |
|-----------------------------|--------------------|
| Instructions and Manuals | No document needed |
| Mounting Type | Surface Mounted |

© 2024 ABB. All rights reserved.

2024/04/12

Subject to change without notice

| Technical | |
|--------------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
| Number of Buttons | 1 |
| Number of Actuation Points | 1 |
| Compatible Bus Systems | KNX (TP) |
| Product Range | KNX |
| Number of Batteries | 0 |

| ABB tacteo® |
|---------------------|
| Untreated Glossy |
| Glass |
| other |
| |

| Material Compliance | |
|---|--|
| RoHS Information | 2CKA200000E5450 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| REACH Declaration | 2CKA309999E9999 |
| REACH Information | True - contains substances > 0.1 mass percentage |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

| Environmental | |
|----------------------------|---------------------|
| Ambient Air Temperature | Operation -5 +45 °C |
| Degree of Protection | IP20 |

| Dimensions | |
|----------------------------------|---------|
| Product Net Width | 86 mm |
| Product Net Height | 86 mm |
| Product Net Depth / Length | 34 mm |
| Product Net Weight | 104.5 g |
| Built-In Depth (t ₂) | 35 mm |

| Certificates and Declarations | |
|-------------------------------------|-----------------|
| Declaration of Conformity - CE | 2CKA100000E2523 |
| Declaration of Conformity - UKCA | 2CKA400000E0228 |

Classifications

© 2024 ABB. All rights reserved.

Subject to change without notice

| ETIM 9 | EC000672 - Touch sensor for bus system |
|----------------|--|
| eClass | V11.0 : 27143138 |
| UNSPSC | 39121801 |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

Categories

 $\text{Low Voltage Products and Systems} \rightarrow \text{Building and Home Automation Solutions} \rightarrow \text{KNX} \rightarrow \text{User Operation} \rightarrow \text{ABB tacteo}^{\otimes} \rightarrow 1 \, \text{fold}$

