TB/U4-CG 1/3



PRODUCT-DETAILS

TB/U4-CG TB/U4-CG Control element 4g.



Extended Product Type	TB/U4-CG
Product ID	2CKA006300A1643
EAN	4011395297278
Catalog Description	TB/U4-CG Control element 4g.
Long Description	Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: tacteo-configurator.my.busch-jaeger.de. Individual configuration with logos and/or ICONs and/or colours according to customer specifications. Freely configurable multifunction control element. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers: 1

Installation	
Instructions and Manuals	No document needed
Mounting Type	Surface Mounted

Lechnical

TB/U4-CG 2/3

Data Sheet, Technical Information	No document needed
Compatible Bus Systems	KNX (TP)
Product Range	KNX
1 Todast France	N.V.
Design	
Design Range	ABB tacteo®
Material Compliance	
RoHS Information	9AKK104295D8727
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
(Omitt)	
Environmental	
Environmental Ambient Air Temperature	Operation -5 +45 °C
	Operation -5 +45 °C IP20
Ambient Air Temperature	·
Ambient Air Temperature	·
Ambient Air Temperature Degree of Protection	·
Ambient Air Temperature Degree of Protection Dimensions	IP20
Ambient Air Temperature Degree of Protection Dimensions Product Net Width	IP20 86 mm
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth /	86 mm 86 mm
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length	86 mm 86 mm 34 mm
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length	86 mm 86 mm 34 mm
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	86 mm 86 mm 34 mm
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity	86 mm 86 mm 34 mm 104.5 q
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity - CE Declaration of Conformity	86 mm 86 mm 34 mm 104.5 q
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity - CE Declaration of Conformity	86 mm 86 mm 34 mm 104.5 q
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity - CE Declaration of Conformity - UKCA	86 mm 86 mm 34 mm 104.5 q
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity - CE Declaration of Conformity - UKCA Classifications	86 mm 86 mm 34 mm 104.5 q 2CKA100000E4191 2CKA400000E0276
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity - CE Declaration of Conformity - UKCA Classifications ETIM 9	86 mm 86 mm 34 mm 104.5 q 2CKA100000E4191 2CKA400000E0276
Ambient Air Temperature Degree of Protection Dimensions Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Certificates and Declarations Declaration of Conformity - CE Declaration of Conformity - UKCA Classifications ETIM 9 eClass	B6 mm 86 mm 34 mm 104.5 q 2CKA100000E4191 2CKA400000E0276 EC000672 - Touch sensor for bus system V11.0 : 27143138

TB/U4-CG 3/3

Categories

