TA/U3-CG 1/3



PRODUCT-DETAILS

TA/U3-CG

TA/U3-CG Room outside sensor



General Information	
Extended Product Type	TA/U3-CG
Product ID	2CKA006300A1646
EAN	4011395297308
Catalog Description	TA/U3-CG Room outside sensor
Long Description	Ordering possible only in connection with the design ID. Makes possible the individual configuration via a web configuration tool: tacteo-configurator.my.busch-jaeger.de. Individual configuration with logos and/or ICONs and/or colours according to customer specifications. Freely programmable function >Do not disturb >Make up room Push switch function: switching / dimming / blind / sending values / scenes etc. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. With integrated KNX bus coupler. With integrated temperature sensor. With integrated proximity function. The bus connection is provided via the enclosed bus terminal. Number of bus subscribers:

Installation	
Instructions and	No document needed
Manuala	

TA/U3-CG 2/3

Mounting Type Surface Mounted

Technical	
Data Sheet, Technical Information	No document needed
Compatible Bus Systems	KNX (TP)
Product Range	KNX

Design	
Design Range	ABB tacteo®
Color	grey

Material Compliance	
RoHS Information	9AKK104295D8727
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air	Operation -5 +45 °C
Temperature	
Degree of Protection	IP20

Dimensions	
Product Net Width	86 mm
Product Net Height	86 mm
Product Net Depth / Length	34 mm
Product Net Weight	104.5 g

Certificates and Declarations	
Declaration of Conformity - CE	2CKA100000E4194
Declaration of Conformity - UKCA	2CKA400000E0279

Classifications	
ETIM 9	EC000672 - Touch sensor for bus system
eClass	V11.0 : 27143138
UNSPSC	39121801
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

TA/U3-CG 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB\ tacteo^{\otimes} \rightarrow Room\ Numbers\ and\ Corridor\ Sensors$

