TBW/U-CG 1/3



PRODUCT-DETAILS

TBW/U-CG

ABB tacteo®



General Information	
Extended Product Type	TBW/U-CG
Product ID	2CKA006300A1654
EAN	4011395297384
Catalog Description	ABB tacteo®
Long Description	Ordering possible only in connection with the design ID. Movement detector with up to 4 channels. The bus can be connected via enclosed terminal block. With integrated temperature sensor. With integrated KNX bus coupler. Number of bus subscribers: 1

Installation	
Instructions and Manuals	No document needed
Mounting Type	Surface Mounted
Mounting Position	vertical
Mounting Height	Optimum 1.1 1.3 m

Technical

TBW/U-CG 2/3

Data Sheet, Technical	No document needed
Information	
Compatible Bus Systems	KNX (TP)
Product Range	KNX

Design	
Design Range	ABB tacteo®
Material	Thermoplastic

Material Compliance	
RoHS Information	9AKK104295D8727
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental	
Ambient Air	Operation -5 +45 °C
Temperature	
Degree of Protection	IP20

Dimensions	
Product Net Width	86 mm
Product Net Height	86 mm
Product Net Depth / Length	37 mm
Product Net Weight	95.8 g

Certificates and Declarations	
Declaration of Conformity - CE	2CKA100000E4197
Declaration of Conformity - UKCA	2CKA400000E0282

Classifications	
ETIM 9	EC000138 - Sensor element for movement sensor
eClass	V11.0 : 27144008
UNSPSC	39122236
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

TBW/U-CG 3/3

Categories

Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow Presence Detection \rightarrow Motion Detectors Low Voltage Products and Systems \rightarrow Building and Home Automation Solutions \rightarrow KNX \rightarrow User Operation \rightarrow ABB tacteo® \rightarrow Motion Detectors

