SBS/U10.0.1-83 1/3



PRODUCT-DETAILS

SBS/U10.0.1-83 SBS/U10.0.1-83 HVAC-Slave-device,10f CE, aluminium sil.



General Information	
Extended Product Type	SBS/U10.0.1-83
Product ID	2CKA006330A0050
EAN	4011395298848
Catalog Description	SBS/U10.0.1-83 HVAC-Slave-device, 10f CE, aluminium sil.
Long Description	Freely configurable multifunction control element. Room temperature control/Controller extension with max. 10gang control With labelling field. Transparent labelling sheet with standard symbols included in delivery. Support of KNX functions through innovative colour concept (yellow=lighting, blue=blind, orange=RTC, magenta=scene and white=neutral/no function assigned) or standard illumination red/green. Rocker switch left/right (switching/dimming/blind/value sender/light scenes/fan function). With integrated temperature sensor. With actual value temperature display With display of set-value temperature. The bus can be connected via enclosed terminal block. With integrated KNX

Installation	
Instructions and Manuals	2CKA000073BB9649
Mounting Type	Flush Mounted Surface Mounted

SBS/U10.0.1-83 2/3

Technical	
Data Sheet, Technical Information	No document needed
Number of LEDs	10
Maximum Number of	33
Switching Outputs	10
Number of Gangs Compatible Bus Systems	
Product Range	KNX
Design	
Design Range	ABB Tenton®
Surface Finishing	Lacquered Matt
Material	Thermoplastic
RAL Number	RAL 9006 - White Aluminium
Color	aluminium
Material Compliance	
RoHS Information	2CKA200000E7873
RoHS Status REACH Declaration	Following EU Directive 2011/65/EU 2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals	9AKK108468A3363
Reporting Template (CMRT)	
Environmental	
Ambient Air Temperature	Operation -5 +45 °C
Degree of Protection	IP20
Temperature Class Default	l
Dimensions	
Dimensions Product Net Width	90.1 mm
Product Net Width Product Net Height	167.1 mm
Product Net Width Product Net Height Product Net Depth / Length	167.1 mm 44.2 mm
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight	167.1 mm 44.2 mm 352.5 g
Product Net Width Product Net Height Product Net Depth / Length	167.1 mm 44.2 mm
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂)	167.1 mm 44.2 mm 352.5 g
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations	167.1 mm 44.2 mm 352.5 g 30.7 mm
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂)	167.1 mm 44.2 mm 352.5 g 30.7 mm
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE	167.1 mm 44.2 mm 352.5 g
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE Classifications	44.2 mm 352.5 g 30.7 mm 2CKA100000E4130
Product Net Width Product Net Height Product Net Depth / Length Product Net Weight Built-In Depth (t ₂) Certificates and Declarations Declaration of Conformity - CE	167.1 mm 44.2 mm 352.5 g 30.7 mm

SBS/U10.0.1-83 3/3

WEEE Category

5. Small Equipment (No External Dimension More Than 50 cm)

WEEE B2C / B2B

Business To Consumer

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solution \rightarrow KNX \rightarrow User\ Operation \rightarrow ABB-Tenton \\ @\longrightarrow 10\ fold\ Solution \rightarrow KNX \rightarrow User\ Operation \rightarrow KNX \rightarrow User\ Operat$

