6716/01 UJ-84-500 1/3



PRODUCT-DETAILS

6716/01 UJ-84-500

Smart switch set 4 chan. Wireless studio white - future linear



General Information	
Extended Product Type	6716/01 UJ-84-500
Product ID	2CKA006730A0156
EAN	4011395310618
Catalog Description	Smart switch set 4 chan. Wireless studio white - future linear
Long Description	Bluetooth Low Energy (BLE) smart switch complete set. Wall transmitter, 2/4 channels. Consisting of BLE smart switch insert 6716 UBT, 2gang rocker 6736 FoH-8xx for smart switches, 1gang future® linear cover frame, fixing plate and intermediater ring. Smarter light switch for wireless remote control of BLE radio devices. Compatible with Bluetooth ecosystems of following companies: aruba, Casambi, enlighted, Fulham, Helvar, Hytronik, Lumobi, Qeedji, SILVAIR, Blu2Light (Vossloh Schwabe), WISILICIA, XICATO Controls. - For saving, calling up and dimming individual light scenes. - Battery-free switch, no connection to mains voltage (230 V**) required. - Particularly environmentally friendly, sustainable and maintenance-free Transmission energy is generated when switching (energy harvesting). - Maximum functional reliability through Bluetooth mesh technology. - Combinable with the Busch-Jaeger switch ranges carat®, Busch-dynasty®, pure stainless steel, solo®, Busch-axcent® and future® linear. - Can be mounted freely in the room with the enclosed adhesive tape and fixing plate. Including fixing plate for mounting on smooth walls or on switch boxes.

Installation

6716/01 UJ-84-500 2/3

Mounting Type	Surface Mounted
Technical	
Number of Channels	4
Compatible Bus Systems	Casambi
Transmission Standard	Wireless
Design	
Design Range	future linear
Design Range	63x63
Surface Finishing	Untreated
	Glossy
Material	Thermoplastic
RAL Number	RAL 9016 - Traffic White
Color	studio white
Material Compliance	
RoHS Information	2CKA200000E7667
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	2CKA309999E9999
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
(CIMICI)	
Dimensions	
Product Net Width	40 mm
Product Net Height	11.5 mm
Product Net Depth / Length	40 mm
Product Net Weight	72 g
Classifications	
	F0000057 T 19 19 15 11 11 11 11 11 11 11 11 11 11 11 11
ETIM 9	EC000257 - Transmitter/Remote control for domestic switching devices
eClass	V11.0 : 27144039
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business

6716/01 UJ-84-500 3/3

Categories

 $\text{Low Voltage Products and Systems} \rightarrow \text{Wiring Accessories - Light Switch Ranges} \rightarrow \text{Cover Plates and Control Elements} \rightarrow \text{Electronic Controls}$

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Wiring\ Accessories\ -\ Light\ Switch\ Ranges \rightarrow Cover\ Plates\ and\ Control\ Elements \rightarrow Kits$

