



PRODUCT-DETAILS

6700-0-0040

RF switch actuator



General Information

Extended Product Type	6700-0-0040
Product ID	2CLA813040A1102
EAN	8427238106571
Catalog Description	RF switch actuator
Long Description	Rated voltage: 230 Vac ± 10% / 50-60 Hz
	For wireless switching of electrical loads.
	2 functions: ON/OFF switch or time delayed switch.
	For wall mounted transmitter code: 8531.1 & 8531.2.
	Switch-off delay: 3 sec. / 1 min. / 5 min. / 15 min.
	Repeater function can be activated for extended range.
	For universal attachment or installation.
	3 wire connection (neutral conductor required).
	With auxiliary input for push-buttons code: 8104.X.
	Send/receive frequency: 868 MHz.
<hr/>	

Installation

Instructions and Manuals	No document needed
Mounting Type	Other

Technical

Data Sheet, Technical Information	9AKK107046A0356
Number of Relays	1
Number of Batteries	0

Electrical

Current Type	230 V AC
Frequency (f)	868 MHz

Design

Design Range	Platform 8100
Color	No color

Material Compliance

RoHS Information	2CLC813040A1102
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
REACH Declaration	9AKK108467A7464
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -5 ... +35 °C Storage -5 ... +50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	0.092 m
Product Net Height	0.058 m
Product Net Depth / Length	0.077 m
Product Net Weight	0.099 kg

Ordering

Replaced Product ID (OLD)	2CL0813041ABB
---------------------------	---------------

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Classifications

ETIM 9	EC000436 - Radio receiver
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Flush Mounted Inserts → Electronic Inserts

