



PRODUCT-DETAILS

IT8-DEMO-E

IT8-DEMO-E Demo 25000pt



General Information	
Global Commercial Alias	IT8-DEMO-E
Extended Product Type	IT8-DEMO-E
Product ID	2CQG150124R4011
EAN	5391539121270
Catalog Description	IT8-DEMO-E Demo 25000pt
Long Description	DEMO VERSION of INTEGRA IT-8000 controller includes 2 EIA-485 ports, configurable for 9.6 to 115.2 kbps. Support for 2 RS-485 protocols (BACnet MS/TP, LON, Modbus RTU, AAM PUP). Two RJ-45 10/100 MB Ethernet with TCP/IP support for FOX, BACnet/IP, and Modbus TCP. WiFi connectivity 802.11 a/b/g/n. Web Interface, embedded Workbench, integrated power supply and USB backup and restore. Includes core DEMO license file with support of up to 500 devices or 25,000 points and all standard drivers.

Material Compliance	
RoHS Information	CDOC0010
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20190904
Conflict Minerals	9AKK108468A3363

Reporting Template
(CMRT)

Dimensions

Product Net Width	171.1 mm
Product Net Height	110 mm
Product Net Depth / Length	61 mm
Product Net Weight	0.39 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.57 kg

Certificates and Declarations

Declaration of Conformity - CE	CDOC0010
--------------------------------	----------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	DS0122
-----------------------------------	--------

Classifications

ETIM 8	EC011487 - Free programmable controller
ETIM 9	EC011487 - Free programmable controller
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9032890000

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Building Management Solutions → INTEGRA
Supervisory Building Control → Control Engines

