



PRODUCT-DETAILS

# 1M101102

## FLX-8R8-H I/O module for FBXi, CBXi, CBX



General Information	
Global Commercial Alias	1M101102
Extended Product Type	FLX-8R8-H
Product ID	2CQG200707R1021
EAN	5391539122512
Catalog Description	FLX-8R8-H I/O module for FBXi, CBXi, CBX
Long Description	16-Point Field Level eXpansion (FLX) I/O module with HOA switches and potentiometers for CBX-8R8. Module features 8 UniPuts™ with Relay outputs (software configurable for AI, AO, DI or DO-R (Relay)) and 8 UI. A maximum of three FLX modules may be added to a single CBX-8R8.

Technical	
	5 W
Communication Interface	FLX-Bus
Model Number	Module
Number of Inputs	Universal 8
Number of Outputs	Analog (0 ... 10 V / 4 ... 20 mA) 8
Number of Universal	UniPut™ with Relay 8

I/Os

Number of Digital Inputs	0
Analog Inputs	8
Number of Batteries	0

Material Compliance

RoHS Information	CDOC1801
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20180301
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	-25 ... 50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	100 mm
Product Net Height	57 mm
Product Net Depth / Length	90 mm
Product Net Weight	0.2 kg
Dimension Diagram	9AKK108468A0116

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.3 kg

Certificates and Declarations

Declaration of Conformity - CE	CDOC1801
--------------------------------	----------

Installation

Instructions and Manuals	MAN0106 MAN0149
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	DS0129 BDS0021
-----------------------------------	-------------------

Classifications		
ETIM 8	EC010957 - Free programmable controller extension	
ETIM 9	EC010957 - Free programmable controller extension	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Business	
CN8	9032890090	

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Building Management Solutions → BACnet Building Control → FLX Expansion IO Modules

