1M810120 1/3



PRODUCT-DETAILS

1M810120

CBT-3T6-5R B-AAC No Strategy 14 I/O



General Information	
Global Commercial Alias	1M810120
Extended Product Type	CBT-3T6-5R
Product ID	2CQG201309R1021
EAN	5391539122918
Catalog Description	CBT-3T6-5R B-AAC No Strategy 14 I/O
Long Description	14-Point BACnet B-AAC programmable controller for terminal applications such as heat pump, roof top unit, fan coil, chilled ceiling, and small air handling units. Controller features 3 UniPuts™ with Triac outputs (software configured for AI, AO, DI or DO-T (Triac), 6 UI and 5 Digital (Relay) Outputs. Freely programmable, no pre-loaded strategy.

Technical		
Voltage Range	20.4 27.6 V	
Input Voltage Type	AC/DC	
	10 V-A	
Communication Interface	MS/TP	
Analog Inputs	6	

1M810120 2/3

Analog Outputs	
Number of Batteries	
Material Compliance	
RoHS Information	CDOC181
RoHS Status	Following EU Directive 2011/65/E
RoHS Date	2006070
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336
Environmental	
Ambient Air Temperature	0 50 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	125 mn
Product Net Height	40 mn
Product Net Depth / Length	120 mn
Product Net Weight	0.3 kg
Dimension Diagram	9AKK108468A009
Ordering	
Package Level 1 Units	box 1 piec
Package Level 1 Gross Weight	0.5 kṛ
Certificates and Declarations	
Declaration of	CDOC181
Conformity - CE	
Installation	
Instructions and Manuals	MAN012i MAN013i
Popular Downloads	
Data Sheet, Technical Information	DS010- BDS001
Classifications	

© 2024 ABB. All rights reserved.

1M810120 3/3

ETIM 9	EC011487 - Free programmable controller
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9032890090

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow Building\ Management\ Solutions \rightarrow BACnet\ Building\ Control \rightarrow CBT\ Series\ Terminal\ Unit\ Controllers$

