159KS707 1/3



PRODUCT-DETAILS

1S9KS707

EXP-C7 eXplore Touchscreen 7 inch



General Information	
Global Commercial Alias	1S9KS707
Extended Product Type	EXP-C7
Product ID	2CQG202003R2021
EAN	5391539123144
Catalog Description	EXP-C7 eXplore Touchscreen 7 inch
Long Description	eXplore C7 7" touchscreen for use with either ASPECT® HTML interfaces, or Cylon's easy to program, easy to use menu-based SiteGuide user interface for basic supervision of a Cylon BMS site. Includes plug-top power supply.

Technical	
Supply Voltage	100 240 V
Input Voltage Type	AC/DC
	8 W
Communication Interface	IP
Mounting Type	Surface mounting
Number of Batteries	0

1S9KS707 2/3

Material Compliance	
RoHS Information	CDOC189
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	2018030
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
 Environmental	
Ambient Air	10 000
Temperature	-10 60 °C
Degree of Protection	IP20
Dimensions	
Product Net Width	195 mm
Product Net Height	35 mm
Product Net Depth / Length	133 mm
Product Net Weight	0.6 kg
Dimension Diagram	9AKK108468A010 ²
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	1.1 kg
Declaration of Conformity - CE	CDOC189
Installation	
Instructions and	MAN0142
Manuale	
Manuals	
Popular Downloads	
	DS0126
Popular Downloads Data Sheet, Technical Information	DS0126
Popular Downloads Data Sheet, Technical Information Classifications	DS0126 BDS0025
Popular Downloads Data Sheet, Technical Information Classifications ETIM 8	DS0126 BDS0025 EC011541 - Display/operator pane
Popular Downloads Data Sheet, Technical Information Classifications	DS0126 BDS0025

1S9KS707 3/3

CN8 9032890090

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow Building\ Management\ Solutions \rightarrow BACnet\ Building\ Control \rightarrow Displays$

