



PRODUCT-DETAILS

# 1M101111

## FLX-PS24 20 V DC Power supply



General Information	
Global Commercial Alias	1M101111
Extended Product Type	FLX-PS24
Product ID	2CQG205601R1021
EAN	5391539123403
Catalog Description	FLX-PS24 20 V DC Power supply
Long Description	20 V DC Power supply module for FLX Field Level eXpansion IO modules and external field devices (using the FLX-RMC).

Technical	
Supply Voltage	AC60Hz 24 V
Secondary Voltage	1st Output 24 V
Voltage Range	19.2 ... 28.8 V
Input Voltage Type	AC/DC
Output Current Maximum (I <sub>out</sub> )	1.1 A
	50 V·A
Communication Interface	FLX-Bus
Connection Type	Screw
Number of Batteries	0

Material Compliance

RoHS Information	CDOC1811
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20180301
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	-25 ... 50 °C
Degree of Protection	IP20

Dimensions

Product Net Width	60 mm
Product Net Height	58 mm
Product Net Depth / Length	95 mm
Product Net Weight	0.1 kg
Dimension Diagram	9AKK108468A0118

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.2 kg

Certificates and Declarations

Declaration of Conformity - CE	CDOC1811
--------------------------------	----------

Installation

Instructions and Manuals	MAN0106
--------------------------	---------

Popular Downloads

Data Sheet, Technical Information	DS0130 BDS0027
-----------------------------------	-------------------

Classifications

ETIM 8	EC002540 - DC-power supply
ETIM 9	EC002540 - DC-power supply
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9032890090

---

## Categories

---

Low Voltage Products and Systems → Building and Home Automation Solutions → Building Management Solutions → BACnet Building Control → FLX Expansion IO Modules

