PRODUCT-DETAILS

# 1M260130

# UC32.netK/WEB/MOD CC/Display/63FC+48Mod



## General Information

| | |
|---|---|
| Global Commercial Alias | 1M260130 |
| Extended Product Type | UC32.netK/WEB/MOD |
| Product ID | 2CQG250903R1021 |
| EAN | 5391539123502 |
| Catalog Description | UC32.netK/WEB/MOD CC/Display/63FC+48Mod |
| Long Description | Ethernet based peer-to-peer communications controller with internal display and keypad, RS232 Service Port, RS232 External Keypad port, RS232 Modem / printer port, RS485 Fieldbus, Embedded WebLink web server included, Max Field Controllers: 63, Modbus communication RS232 / RS485 included, Max Modbus devices: 48. |

## Technical

| | |
|---|---|
| Application Function | Building Management |

## Material Compliance

| | |
|---|---|
| RoHS Information | CDOC1804 |

2024/04/12                    Subject to change without notice

| RoHS Status | Following EU Directive 2011/65/EU |
|---|---|
| RoHS Date | 20060701 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

## Dimensions

| | |
|---|---|
| Product Net Width | 140 mm |
| Product Net Height | 64 mm |
| Product Net Depth / Length | 125 mm |
| Product Net Weight | 0.5 kg |

## Ordering

| | |
|---|---|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross Weight | 0.5 kg |

## Certificates and Declarations

| | |
|---|---|
| Declaration of Conformity - CE | CDOC1804 |

## Installation

| | |
|---|---|
| Instructions and Manuals | MAN0056 MAN0057 |

## Popular Downloads

| | |
|---|---|
| Data Sheet, Technical Information | DS0046 BDS0002 |

## Classifications

| | |
|---|---|
| ETIM 8 | EC011487 - Free programmable controller |
| ETIM 9 | EC011487 - Free programmable controller |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Business |
| CN8 | 9032890090 |

## Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Building Management Solutions → Unitron Building Control → Communication Controllers