



PRODUCT-DETAILS

1M160100

UC32.8 Unitron controller: 8 I/O



General Information	
Global Commercial Alias	1M160100
Extended Product Type	UC32.8
Product ID	2CQG251001R1021
EAN	5391539123540
Catalog Description	UC32.8 Unitron controller: 8 I/O
Long Description	Programmable controller 4 Uniputs™ + Relays, 4 Universal Inputs Up to 32 controllers per fieldbus Flash upgradable firmware, Time-stamped datalogs, 1024 strategy blocks 32 datalogs with up to 1024 entries per datalog, Max address = 32.

Technical	
Application Function	Building Management

Material Compliance	
RoHS Information	CDOC1805
RoHS Status	Following EU Directive 2011/65/EU

RoHS Date	20060701
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	140 mm
Product Net Height	64 mm
Product Net Depth / Length	125 mm
Product Net Weight	0.5 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.5 kg

Certificates and Declarations

Declaration of Conformity - CE	CDOC1805
--------------------------------	----------

Installation

Instructions and Manuals	MAN0056 MAN0057
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	DS0055 BDS0001
-----------------------------------	-------------------

Classifications

ETIM 8	EC011487 - Free programmable controller
ETIM 9	EC011487 - Free programmable controller
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9032890090

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Building Management Solutions → Unitron
Building Control → UC32 Series Main Plant Controllers

