159KS650 1/3



PRODUCT-DETAILS

1S9KS650

UCU-KEY-PAD Room control display for FCU



General Information	
Global Commercial Alias	1S9KS650
Extended Product Type	UCU-KEY-PAD
Product ID	2CQG256501R1021
EAN	5391539124080
Catalog Description	UCU-KEY-PAD Room control display for FCU
Long Description	A dedicated room control display for fan coil control. The programmable display allows the user to view and adjust selected parameters within the controller to which it is connected. Note: Only compatible with the UCU10FC/K, UCU10VAV/K CBT12 and CBX-8R8 controllers.

Technical	
Supply Voltage	10 18 V
Voltage Range	10 28 V
Input Voltage Type	DC
	50 mA
Communication Interface	CBT-STAT

1S9KS650 2/3

Mounting Type	Surface mounting
Application Function	Building Managemen
Material Compliance	
RoHS Information	CDOC180
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	2006070
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336
 Environmental	
Ambient Air Temperature	0 50 °C
Degree of Protection	Housing IP20
Dimensions	
Product Net Width	120 mn
Product Net Height	40 mn
Product Net Depth / Length	115 mr
Product Net Weight	0.1 kg
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.1 kg
Certificates and Declarations	
Declaration of Conformity - CE	CDOC180
Installation	
Instructions and Manuals	No document needed
Popular Downloads	
Data Sheet, Technical Information	DS006
Classifications	
ETIM 8	EC011541 - Display/operator pane
ETIM 9	EC011541 - Display/operator pane

1S9KS650 3/3

WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	9032890090

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow Building\ Management\ Solutions \rightarrow Unitron\ Building\ Control \rightarrow UCU\ Series\ Terminal\ Unit\ Controllers$

