



PRODUCT-DETAILS

74920CJ

74920CJ Room Terminal



General Information

Extended Product Type	74920CJ
Product ID	2CSH263755R2014
EAN	8012542637554
Catalog Description	74920CJ Room Terminal

Long Description	<p>Vandalism-protected room terminal in IP54 design with additional sabotage monitoring and integrated sensor call button for safe call activation. The V2A terminal housing serves as a controller for rooms with a voice function and offers connection options for passive units and active bus components. When presence is set, a acoustic display of the call message takes place with the highest priority. Conducting a conversation (only incoming) in the hands-free mode via integrated loudspeaker and microphone in high audio quality due to digital transmission technology, audio parameters optimally adaptable to the respective environment. The receipt of announcements is possible. With integrated switching technology for passive call and cancellation units (e.g. sensor button) incl. call group monitoring. The input and output parameters are adaptable to the local requirements. The basic configuration and specific configuration settings (sabotage alarm, emergency police call after elapsed time etc.) can take place according to customer requirements. Local storage of the configuration files including the 8-digit alphanumeric text for the room, audio parameters and special functions. Equipped with a service socket for the configuration module and selector switches for standby current/operating current. Support of the commissioning due to upgraded remote access functions. Installation in conjunction with related flush-mounted installation box. Integration into the room terminal in the room bus. Upgradable to future system firmware due to forward-looking flash technology.</p>
------------------	---

Technical

Power Supply Type	Integrated
Model Number	Room Terminal

Material Compliance

RoHS Status	No declaration needed
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	0.185 mm
Product Net Height	0.249 mm
Product Net Depth / Length	0.045 mm
Product Net Weight	1.400 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	2.000 kg

Certificates and Declarations

Declaration of Conformity - CE	No document needed
--------------------------------	--------------------

Installation	
Instructions and Manuals	No document needed

Popular Downloads	
Data Sheet, Technical Information	No document needed

Classifications	
ETIM 8	EC002971 - System device clinic-installation
ETIM 9	EC002971 - System device clinic-installation
WEEE Category	Product Not in WEEE Scope
CN8	85285900

Categories
Low Voltage Products and Systems → Building and Home Automation Solutions → Hospital Solutions → Clinos

