



PRODUCT-DETAILS

2CSK1304CH

Automatic MCB, 1P+N, C6, breaking capacity 1.5kA White - Chiara



General Information	
Product ID	2CSK1304CH
EAN	8012542006558
Catalog Description	Automatic MCB, 1P+N, C6, breaking capacity 1.5kA White - Chiara
Long Description	Automatic MCB, 1P+N, C6, breaking capacity 1.5kA

Installation	
Instructions and Manuals	2CSC600290D0201

Technical	
Data Sheet, Technical Information	2CSC600290D0201
Energy Limiting Class	3
Number of Poles	1
Number of Protected Poles	1

Illumination	Non-illuminated
Accessories Available	Yes
Connecting Capacity	Rigid 6 ... 6 mm² Flexible 6 ... 6 mm²

Electrical

Tripping Characteristic	C
Rated Operational Voltage	acc. to IEC 60947-2 230 V
Rated Insulation Voltage (U _i)	2000 V
Rated Impulse Withstand Voltage (U _{imp})	4 kV
Input Voltage Type	AC
Rated Current (I _n)	6 A
Rated Short-Circuit Capacity	(230 V) 1.5 kA
Rated Frequency (f)	50...60 Hz
Overvoltage Category	III

Design

Design Range	Chiara
Surface Finishing	Basic
Material	Plastic
Color	White

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
---	-----------------

Environmental

Ambient Air Temperature	Operation -5...40 °C
Degree of Protection	IP20
Pollution Degree	2

Dimensions

Width in Number of Modular Spacings	1
Product Net Width	0 mm
Product Net Height	0 mm
Product Net Depth / Length	0 mm
Product Net Weight	0.006 kg
Built-In Depth (t ₂)	56 mm

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
-----------------------------------	-----------------------

Classifications

ETIM 9	EC000042 - Miniature circuit breaker (MCB)
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Wiring Accessories - Light Switch Ranges → Cover Plates and Control Elements → Protection Devices



360°