2CSKK1003C 1/3



PRODUCT-DETAILS

2CSKK1003C

2CSK232195R1003 2CSKK1003C 2 bi.input module,2switch rockers,Chiara



| General Information | | |
|-----------------------|--|--|
| Extended Product Type | 2CSKK1003C | |
| Product ID | 2CSK232195R1003 | |
| EAN | 8012542321958 | |
| Catalog Description | 2CSK232195R1003 2CSKK1003C 2 bi.input module,2switch rockers,Chiara | |
| Long Description | Device equipped with 2 rocker switches; 2 binary input channels that can be used to interface to KNX system conventional push-buttons/rocker switches, or auxiliary/technical contacts. LEDs for the functional signaling of the load to which the rocker switch is connected. Flush-mounted installation. | |

| Installation | |
|------------------|-----------------|
| Instructions and | 2CSN600065D0201 |
| Manuals | |

| Technical | |
|-----------------------|-----------------|
| Data Sheet, Technical | 2CSN600028D0901 |
| Information | |

2CSKK1003C 2/3

| Product Range | KNX |
|---------------------|-----|
| Number of Batteries | 0 |
| | |

Electrical

Power Supply Type Integrated

Material Compliance

Conflict Minerals 9AKK108468A3363
Reporting Template (CMRT)

| Dimensions | |
|----------------------------------|-------|
| Product Net Width | 43 mm |
| Product Net Height | 44 mm |
| Product Net Depth / Length | 44 mm |
| Product Net Weight | 70 g |
| Built-In Depth (t ₂) | 43 mm |

Certificates and Declarations

Declaration of 2CSC500001U5101 Conformity - CE

Classifications

| ETIM 9 | EC002971 - System device clinic-installation | |
|----------------|--|--|
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) | |
| WEEE B2C / B2B | Business To Consumer | |

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow Chiara \rightarrow 2/4\ fold$

2CSKK1003C 3/3

