



PRODUCT-DETAILS

# PTI/U 1.1.CH

## 2CSKK5200C PTI/U 1.1.CH - Transponder card holder, Chiara



| General Information      |   |
|--------------------------|---|
| Extended Product Type    | PTI/U 1.1.CH  |
| Product ID               | 2CSKK5200C  |
| EAN                      | 8012542263852   |
| Catalog Description      | 2CSKK5200C PTI/U 1.1.CH - Transponder card-holder, Chiara   |
| Long Description         | <p>The transponder holder is equipped with a slot into which the transponder card is inserted. In a hotel application, this allows occupancy recognition and notification at the supervisory level (e.g. on the front desk computer). Moreover, room status information can be managed by using special cards (minibar status, maintenance status, usability). The device is equipped with two bistable relays (8 A, 250 Vac), and three voltage-free, non-optically insulated inputs; the 5-Vdc scanning voltage is generated by the device itself. The transponder holder has on the front four LEDs for signaling indications. It requires a 10...32Vdc/12...24Vac auxiliary power supply to ensure its operation even in case of KNX voltage failure.</p> |
| Installation             |   |
| Instructions and Manuals | 2CSN600045D0201   |
| Mounting Type            | Flush Mounted   |

|                                   |                 |
|-----------------------------------|-----------------|
| <b>Technical</b>                  |                 |
| Data Sheet, Technical Information | 2CSN600051D0901 |
| Suitable For                      | 2-wire          |
| Product Range                     | KNX             |
| Number of Batteries               | 0               |

|                   |            |
|-------------------|------------|
| <b>Electrical</b> |            |
| Power Supply Type | Bus System |

|                   |                         |
|-------------------|-------------------------|
| <b>Design</b>     |                         |
| Surface Finishing | Glossy                  |
| Material          | Plastic                 |
| RAL Number        | RAL 9003 - Signal White |
| Color             | White                   |

|   |                 |
|---|-----------------|
| <b>Material Compliance</b>                  |                 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

|                      |      |
|----------------------|------|
| <b>Environmental</b> |      |
| Degree of Protection | IP20 |

|                            |        |
|----------------------------|--------|
| <b>Dimensions</b>          |        |
| Product Net Width          | 66 mm  |
| Product Net Height         | 46 mm  |
| Product Net Depth / Length | 44 mm  |
| Product Net Weight         | 0.1 kg |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Declaration of Conformity - CE       | 2CSC600002U5101 |

|                        |  |
|------------------------|--|
| <b>Classifications</b> |  |
| ETIM 9                 | EC002971 - System device clinic-installation               |
| WEEE Category          | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B         | Business To Consumer                                       |

---

**Categories**

---

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Chiara → Transponder Readers and Card Holders

