



PRODUCT-DETAILS

PRT/U 1.1.CH

2CSKK5300C PRT/U 1.1.CH - Transponder programming device, Chiara



General Information	
Extended Product Type	PRT/U 1.1.CH
Product ID	2CSKK5300C
EAN	8012542263951
Catalog Description	2CSKK5300C PRT/U 1.1.CH - Transponder programming device, Chiara
Long Description	The devices allows the programming of transponder cards. The device is equipped with two bistable relays (8 A, 250 Vac), and three voltage-free, non-optically insulated inputs; the 5-Vdc scanning voltage is generated by the device itself. The transponder programming device has on the front four LEDs for signaling indications. It requires a 10...32Vdc/12...24Vac auxiliary power supply to ensure its operation even in case of KNX voltage failure.
Installation	
Instructions and Manuals	2CSN600045D0201
Mounting Type	Flush Mounted
Technical	

Data Sheet, Technical Information	2CSN600053D0901
Suitable For	2-wire
Product Range	KNX
Number of Batteries	0

Electrical

Power Supply Type	Bus System
-------------------	------------

Design

Surface Finishing	Untreated
Material	Plastic
RAL Number	RAL 9003 - Signal White
Color	White

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
---	-----------------

Environmental

Degree of Protection	IP20
----------------------	------

Dimensions

Product Net Width	66 mm
Product Net Height	46 mm
Product Net Depth / Length	44 mm
Product Net Weight	0.1 kg

Certificates and Declarations

Declaration of Conformity - CE	2CSC600002U5101
--------------------------------	-----------------

Classifications

ETIM 9	EC002971 - System device clinic-installation
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Chiara → Transponder Readers and Card Holders

