TR/U 1.1.CH 1/3



PRODUCT-DETAILS

TR/U 1.1.CH

2CSK289601R1902 TR/U 1.1.CH - Transponder reader Chiara, MIFARE



General Information	
Extended Product Type	TR/U 1.1.CH
Product ID	2CSK289601R1902
EAN	8012542896012
Catalog Description	2CSK289601R1902 TR/U 1.1.CH - Transponder reader Chiara, MIFARE
Long Description	The "transponder reader" is a flush-mounting device designed to realize access control systems with a communication support based on KNX bus. It is equipped with one relay (4A @24 V AC/DC) and one input to be used for connecting external conventional card-holder. The output can be programmed in three different ways: "Linked to access control", receiving in this case switching commands from the device itself (according to transponder card validation); being a standard KNX Switch actuator output, able to be controlled by every KNX standard devices; "linked to card-holder", that means that the relay is switched according to closing/opening internal input contact available on transponder reader. The bicolor (red-green) LED placed on the front of the device allow you to monitor device operation and can be also switched ON/OFF in the proper color according to KNX telegram (for example for DND/MUR purposes). The transponder reader can be configured with MiniMAC software in order to behave as transponder programming device. The transponder reader requires a 1224 V AC/DC external power supply to ensure its operation even with bus voltage failure.

Installation

TR/U 1.1.CH 2/3

Instructions and Manuals	2CSN600106D0901
Mounting Type	Flush Mounted
 Technical	
Data Sheet, Technical	2CSN600106D0903
Information Product Pance	KN)
Product Range Number of Batteries	NA.
Tellings of Eutering	
 Electrical	
Power Supply Type	Integrated
Design	
Surface Finishing	Untreated
Material RAL Number	Plastic RAL 9003 - Signal White
Color	White
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336:
 Environmental	
Degree of Protection	IP20
Dimensions	
Product Net Width	44 mm
Product Net Height	43 mm
Product Net Depth /	44 mn
Length Product Net Weight	50 9
Certificates and Declarations	
Declaration of Conformity - CE	2CSC600003U510
Classifications	
ETIM 9	EC002971 - System device clinic-installation
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm
WEEE B2C / B2B	Business To Consume
© 2024 ABB All rights reserved	2024 /04 /12 Subject to change

TR/U 1.1.CH 3/3

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow Chiara \rightarrow Transponder\ Readers\ and\ Card\ Holders$





