



PRODUCT-DETAILS

TH/U 1.1.CH

2CSK202481R1922 TH/U 1.1.CH - Transponder holder Chiara, MIFARE



| General Information | |
|-----------------------|--|
| Extended Product Type | TH/U 1.1.CH |
| Product ID | 2CSK202481R1922 |
| EAN | 8012542024811 |
| Catalog Description | 2CSK202481R1922 TH/U 1.1.CH - Transponder holder Chiara, MIFARE |
| Long Description | The "transponder holder" is a flush-mounting device designed to realize access control systems with a communication support based on KNX bus. It is equipped with one relay (4A @24V AC/DC) and one binary input to be used for connecting external conventional push-button for switch, dimmer and shutter functionalities, or for example for connecting window contact or similar. The output can be programmed as "Linked to access control", receiving in this case switching commands from the device itself (according to card insertion/removal); or being a standard KNX Switch actuator output, able to be controlled by every KNX-standard devices. The white blinking LED placed on the front of the device allow you to monitor device operation and can be also switched ON/OFF in the proper color according to KNX. The transponder reader requires a 12...24 V AC/DC external power supply to ensure its operation even with bus voltage failure. |

| Installation | |
|--------------------------|-----------------|
| Instructions and Manuals | 2CSN600107D0901 |

| | |
|---------------|---------------|
| Mounting Type | Flush Mounted |
|---------------|---------------|

| | |
|-----------------------------------|-----------------|
| Technical | |
| Data Sheet, Technical Information | 2CSN600107D0901 |
| Product Range | KNX |
| Number of Batteries | 0 |

| | |
|-------------------|------------|
| Electrical | |
| Power Supply Type | Integrated |

| | |
|-------------------|-------------------------|
| Design | |
| Surface Finishing | Untreated |
| Material | Plastic |
| RAL Number | RAL 9003 - Signal White |
| Color | White |

| | |
|---|-----------------|
| Material Compliance | |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

| | |
|----------------------|------|
| Environmental | |
| Degree of Protection | IP20 |

| | |
|----------------------------|-------|
| Dimensions | |
| Product Net Width | 44 mm |
| Product Net Height | 43 mm |
| Product Net Depth / Length | 44 mm |
| Product Net Weight | 50 g |

| | |
|--------------------------------------|-----------------|
| Certificates and Declarations | |
| Declaration of Conformity - CE | 2CSC600003U5101 |

| | |
|------------------------|--|
| Classifications | |
| ETIM 9 | EC002971 - System device clinic-installation |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |
| WEEE B2C / B2B | Business To Consumer |

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → KNX → User Operation → Chiara →
Transponder Readers and Card Holders



360°