RT/U 1.1.ZS 1/3



PRODUCT-DETAILS

## **RT/U 1.1.ZS**

## RT/U 1.1.ZS RTC Zenit Silver



Extended Product Type	RT/U 1.1.ZS	
Product ID	2CSY242280R1202	
EAN	8012542149859	
Catalog Description	RT/U 1.1.ZS RTC Zenit Silve	
Long Description	Standard KNX thermostat equipped with backlight LCD display 4 push buttons on the frontfor the following functionalities (Operating mode switching, Fan-coil speed manual switching, set-point manual increment/decrement). Possibility to choose different type of control: 2-point ON/OFF, PWM, Continue, Fan-co	

Technical	
Data Sheet, Technical	2CKA000173B5035
Information	

Installation
Instructions and

Manuals

2CKA001473B5154

RT/U 1.1.ZS 2/3

Suitable For	2-wire
Product Range	KN
Electrical	
Power Supply Type	Bus Systen
Design	
Color	Silve
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108468A336:
Dimensions	
Product Net Width	43 mn
Product Net Height	44 mm
Product Net Depth / Length	44 mn
Product Net Weight	0.07 kg
Built-In Depth (t <sub>2</sub> )	43 mm
Certificates and Declarations	
Declaration of Conformity - CE	2CSC500008D270
Classifications	

ETIM 9

WEEE Category

WEEE B2C / B2B

EC002971 - System device clinic-installation

**Business To Consumer** 

5. Small Equipment (No External Dimension More Than 50 cm)

RT/U 1.1.ZS 3/3

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow KNX \rightarrow User\ Operation \rightarrow Zenit\ /\ Olas \rightarrow Thermostats$ 





