

PRODUCT-DETAILS

STD-W1.1

STD-W1.1 Smoke detector Wireless Interface Module



General Information	
Extended Product Type	STD-W1.1
Product ID	2CSY254961R0701
EAN	8012542549611
Catalog Description	STD-W1.1 Smoke detector Wireless Interface Module
Long Description	The module is required for interfacing the smoke detectors (article no. 6800-0-2721) or heat detectors (article no. 6800-0-2723) to the central unit. The module is equipped with an integrated lithium battery - minimum battery life: 10 years. The device features a bidirectional communication with the central unit that supervises it with a programmable supervision interval (typically every 15 minutes). It is possible to configure this parameter during the system commissioning.

Technical	
Operational Voltage	3 V
Continuous Operating Current (I_c)	1.8 A
Mounting Type	Built-in
Battery Chemical Composition	Lithium
Battery Type	Industrial
Battery Weight	0.02 kg

STD-W1.1 2/3

Number of Batteries	1
Dimensions	
Product Net Width	70 mm
Product Net Height	45 mm
Product Net Depth /	25 mm
Length Product Net Weight	0.020 kg
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.05 kg
Certificates and Declarations	
Declaration of Conformity - CE	No declaration needed
Installation	
Instructions and Manuals	2CSM600714D0901
Popular Downloads	
Data Sheet, Technical Information	No document needed
Classifications	
ETIM 8	EC001764 - Technical detector for intrusion detection system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85311030

Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Building\ and\ Home\ Automation\ Solutions \rightarrow Intrusion\ Alarm\ Systems \rightarrow Alarm\ Systems - secure@home \rightarrow Technical\ Detectors\ (Wireless\ 868Mhz)$

STD-W1.1 3/3





