



PRODUCT-DETAILS

SMD-W4.1A

SMD-W4.1A Perim. Bidirectional Dual PIR Mot. Det.



General Information	
Extended Product Type	SMD-W4.1A
Product ID	2CSY254971R0202
EAN	8012542549710
Catalog Description	SMD-W4.1A Perim. Bidirectional Dual PIR Mot. Det.
Long Description	The perimeter bidirectional dual passive IR motion detector allows the external control of the building's perimeter, ideal for the protection of doors and windows. It has to be installed on a wall. Inside the machine there are four infrared detectors, two per side

Technical	
Operational Voltage	3...3 V
Continuous Operating Current (I _c)	1400 mA
Measuring Range	3 °
Transmission Standard	Passive Infrared
Mounting Type	Surface Mounted
Color	white
Battery Chemical	Lithium

Composition

Battery Type	Portable
Battery Weight	0.02 kg
Number of Batteries	1

Dimensions

Product Net Width	265 mm
Product Net Height	155 mm
Product Net Depth / Length	70 mm
Product Net Weight	0.570 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.6 kg

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	2CSM600711D0901
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	No document needed
-----------------------------------	--------------------

Classifications

ETIM 8	EC001762 - Movement sensor for intrusion detection system
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85311030

Categories

Low Voltage Products and Systems → Building and Home Automation Solutions → Intrusion Alarm Systems → Alarm System - secure@home → Motion Detectors (Wireless 868Mhz)

