Sentry TSR20MP 1/4



PRODUCT-DETAILS

Sentry TSR20MP Sentry TSR20MP Safety relay



General Information	
Extended Product Type	Sentry TSR20MP
Product ID	2TLA010061R0101
EAN	7350024486339
Catalog Description	Sentry TSR20MP Safety relay
	Sentry TSR20MP Safety relay with delayed relay outputs 3NO+1NC, 85-265 VAC/120-375

Sentry TSR20MP Safety relay with delayed relay outputs 3NO+1NC, 85-265 VAC/120-375 VDC power supply and push-in spring terminals. For monitoring of safety devices with contacts, 2 equivalent channels. OFF-delay time (0,5s or 1,5s) selectable by switch on the front.

Long Description

Sentry safety relays cover various types of safety applications up to PLe / SIL3. Basic models provide reliable supervision of simpler safety functions, while universal models provide advanced features and high flexibility. Models with display offer preset configurations and extensive information to further simplify

troubleshooting.

Additional variants offer a high accuracy timer function of ± 1% and an adjustable time setting range from 0-999 s.

High output current capacity of up to 6 A can save the use of an intermediary contactor.

Multi-reset allows up to 10 safety relays connected to one reset light-button.

All models are available with detachable push-in or screw terminals. Terminals and coding kit to mark removed terminals are available as accessories.

Ordering

Sentry TSR20MP 2/4

Minimum Order Quantity	1 piece			
Customs Tariff Number	85364900 TSR			
duct Main Type fuct Name Si				
Function	Safety relay for monitoring of safety devices			
Sub-Function	Start/test input, Auto reset only, Time delay selectable by switch			
out i unction	Startiot Input, Autorises Shirt, Time delay selectable by Owledn			
Popular Downloads				
Data Sheet, Technical Information	2TLC010037L0201			
Instructions and Manuals	2TLC010071M0201			
Dimension Diagram	2TLC010001U0201			
Wiring Diagram	2TLC010015T0001			
CAD Dimensional Drawing	2CDC001079B0201			
Marketing Video	2TLC010019N0201 2TLC010018N0201			
Dimensions				
Product Net Depth / Length	120 mm			
Product Net Height	120 mm			
Product Net Width	22.5 mm			
Product Net Weight	0.214 kg			
Safety Information				
	cULus			
Certification Agency	TÜV SÜD CE			
	CCC RCM			
	S UKCA			
	KC KC			
Performance Level (PL)	Up to e			
Safety Integrity Level (SIL)	3			
Technical				
Number of Outputs	Failsafe, Delayed Contacts 4			
Rated Control Supply Voltage (U _s)	120 375 V DC 85 265 V AC			
Time Range	0.5 and 1.5 seconds			
Environmental				
Ambient Air Temperature	Operation -25 +65 °C			
Degree of Protection	Storage -40 +70 °C			
Degree of Florection	10% 90%; no icing; occasional condensation			
Material Compliance				
Conflict Minerals	9AKK108467A5658			
Reporting Template	3AN(10040/A3030			

Sentry TSR20MP 3/4

2CMT2022-006480
2CMT2022-006499
Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
2CMT2023-006522
Business To Business
5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
CQC Certificate	CQC2017010303977544
cUL Certificate	2TLC010006D0201
Declaration of Conformity - CCC	2020980303000244
Declaration of Conformity - CE	2TLC010010D0201
Declaration of Conformity - UKCA	2TLC010190D0201
TÜV Certificate	2TLC010008D0201

Package Level 1 Units	box 1 piece
Package Level 1 Width	125 mm
Package Level 1 Depth / Length	31 mm
Package Level 1 Height	129 mm
Package Level 1 Gross Weight	0.275 kg
Package Level 1 EAN	7350024486339

eClass	V11.0 : 27371819
ETIM 7	EC001449 - Device for monitoring of safety-related circuits
ETIM 8	EC001449 - Device for monitoring of safety-related circuits
ETIM 9	EC001449 - Device for monitoring of safety-related circuits
IDEA Granular Category Code (IGCC)	5367 >> Control relay
UNSPSC	39122331
Object Classification Code	K
E-Number (Finland)	2712905
E-Number (Sweden)	3861419

Accessories				
Identifier	Description	Туре	Quantity	Unit Of Measure
2TLA010099R0000	Sentry S30A Terminal block	Sentry S30A	1	piece
2TLA010099R0100	Sentry S30B Coding kit	Sentry S30B	1	piece
2TLA010099R0001	Sentry S30C Terminal block	Sentry S30C	1	piece

Sentry TSR20MP 4/4

Categories

 $Low\ Voltage\ Products\ \to\ Control\ Products\ \to\ Electronic\ Relays\ and\ Controls\ \to\ Safety\ Relays\ \to\ Expansion\ Relays$ $Low\ Voltage\ Products\ \to\ Safety\ Products\ \to\ Safety\ Relays\ \to\ Expansion\ Relays$





