



PRODUCT-DETAILS

JSHD4H2B 0.15m
JSHD4H2B 0.15m Three-position dual
pushbutton



General Information

Extended Product Type	JSHD4H2B 0.15m
Product ID	2TLA020002R0210
EAN	7350024484212
Catalog Description	JSHD4H2B 0.15m Three-position dual pushbutton
Long Description	JSHD4H2B 0.15m is a three-position device for external panel mounting with 6 leads, each 150mm long, and mounting holes up right. Three-position devices are used to allow a limited movement of the machine when the operator is in the dangerous area, for example during troubleshooting, test running and programming.

Ordering

Minimum Order Quantity	1 piece
Customs Tariff Number	85369095
Product Main Type	JSHD4H2
Product Name	Three-position dual pushbutton
Function	Three-position dual pushbutton usual mounted on another device, e.g. a robot pendant
Status Indicator	No

Popular Downloads	
Data Sheet, Technical Information	2TLC010126L0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions	
Product Net Depth / Length	52 mm
Product Net Height	56 mm
Product Net Width	106 mm
Product Net Weight	0.154 kg

Safety Information	
Certification Agency	CE cURus Kiwa
Performance Level (PL)	Up to e

Technical	
Communication Interface	Contacts
Connection Configuration	6 leads, 150 mm each
Number of Contacts CO	2
Number of Contacts NC	0
Number of Contacts NO	0
Rated Operational Current DC-12 (I _a)	(24 V) 0.02 A

Environmental	
Ambient Air Temperature	Operation 0 ... +50 °C Storage -20 ... 80 °C
Degree of Protection	IP65
Material	Housing: PP (polypropylene with mineral filling) Rubber: Thermoplastic elastomer on PP basis Steering T: PP with fiberglass filling

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
CQC Certificate	No certification needed

cULus Certificate	2TLC010153D0201
cURus Certificate	2TLC010153D0201
Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC172022D0201
Declaration of Conformity - UKCA	2TLC010152D0201
SEMKO Certificate	2TLC172032D0201
UR Certificate	2TLC010153D0201

Container Information

Package Level 1 Units	bag 1 piece
Package Level 1 Width	174 mm
Package Level 1 Depth / Length	268 mm
Package Level 1 Height	57 mm
Package Level 1 Gross Weight	0.156 kg
Package Level 1 EAN	7350024484212

Classifications

eClass	V11.0 : 27371238
ETIM 7	EC002571 - Agreement switch
ETIM 8	EC002571 - Agreement switch
ETIM 9	EC002571 - Agreement switch
Object Classification Code	B

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSHD

