HK20 1/3



PRODUCT-DETAILS

## HK20 HK20 Cable



General Information	
Extended Product Type	HK20
Product ID	2TLA020003R4900
EAN	7350024461183
Catalog Description	HK20 Cable
Long Description	The JSHD4-2-AK is an ergonomic three-position device which top part has LEDs, a front button and a top button, and which bottom part is equipped with a Cannon connector. This model is mainly intended for replacement of older non modular JSHD4 enabling device (Jokab brand).  Three-position devices are used to allow a limited movement of the machine when the operator is in the dangerous area, for example during troubleshooting, test running and programming.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	8544429090
Product Main Type	JSHD4 accessory
Product Name	Cable
Function	Cable for safety control device

HK20 2/3

Information CAD Dimensional Drawing  Dimensions  Cable Length Product Net Depth / Length Product Net Height Product Net Width Product Net Width Product Net Weight  Technical  Connection Configuration Suitable For JSH JS JSH JSH JS JSH JSH JS JSH JSH JS	20 m 20 m 20 m 27 mm 27 mm 1.452 kg ale sockets SHD4-2-AB-A SHD4-2-AB-A SHD4-3-AB-A D4-3-AB-A
CAD Dimensional Dimensions  Cable Length Product Net Depth / Length Product Net Width Product Net Weight  Technical  Connection Configuration  Suitable For  Jish Jish Jish Jish Jish Jish Jish Jis	20 m 20 m 27 mm 27 mm 1.452 kg ale sockets SHD4-2-AE SHD4-2-AE SHD4-3-AE
Dimensions Cable Length Product Net Depth / Length Product Net Height Product Net Width Product Net Width Product Net Weight  Technical Connection Configuration Suitable For Jish Jish Jish Jish Jish Jish Jish Jish	20 m 20 m 27 mm 27 mm 1.452 kg ale sockets SHD4-2-AE SHD4-2-AE SHD4-3-AE
Cable Length Product Net Depth / Length Product Net Height Product Net Height Product Net Width Product Net Weight  Technical  Connection Configuration Suitable For JS JSHI J	20 m 27 mm 27 mm 1.452 kc ale sockets 65HD4-2-AE 6HD4-2-AK 6HD4-3-AE
Cable Length Product Net Depth / Length Product Net Height Product Net Height Product Net Width Product Net Weight  Technical  Connection Configuration Suitable For JS JSHI J	20 m 27 mm 27 mm 1.452 kc ale sockets 65HD4-2-AE 6HD4-2-AK 6HD4-3-AE
Product Net Depth / Length Product Net Height Product Net Weight  Technical  Connection Configuration Suitable For JSHI JS JS JS JS JSHI JS	20 m 27 mm 27 mm 1.452 kc ale sockets 65HD4-2-AE 6HD4-2-AK 6HD4-3-AE
Product Net Weight  Technical  Connection Configuration Suitable For JSHI JS J	27 mm 1.452 kg ale sockets 6HD4-2-AE DH-2-AB-A 6HD4-2-AK 6HD4-3-AE
Product Net Weight  Technical  Connection Configuration  Suitable For  JSHI  JSHI  JS  Material Compliance	1.452 kg ale sockets 6HD4-2-AB-A 6HD4-2-AB-A 6HD4-3-AE
Technical  Connection Configuration  Suitable For  JS  JSHI  JS  JS  JS  JSHI  JS  JS  JS  JS  JS  JS  JS  JS  JS  J	ale sockets SHD4-2-AE ID4-2-AB-A SHD4-2-Ak SHD4-3-AE
Connection Configuration  Suitable For  JS  JSHI JS  JS  JS  JSHI JS	SHD4-2-AE ID4-2-AB-A SHD4-2-AK SHD4-3-AE
Suitable For JS JSHI JSHI JS JS JS JSHI JS JS JS JSHI JS	SHD4-2-AE ID4-2-AB-A SHD4-2-AK SHD4-3-AE
JSHI JS JSHI JSHI JS JSHI JSHI JS JSHI JS JS JS JSHI JS JS JS JSHI JS JS JS JSHI JS	D4-2-AB-A SHD4-2-Ak SHD4-3-AE
Environmental Degree of Protection Material  Material Compliance	SHD4-3-AK SHD4-4-AE
Degree of Protection  Material Ja  Material Compliance	ID4-4-AB-A SHD4-4-Ak SHD4-5-AE ID4-5-AB-A SHD4-5-Ak JSHD4 AE JSHD4 Ak
Degree of Protection  Material   Material Compliance	
Material Compliance	IDC
Material Compliance	IP65 acket: PVC
Conflict Minerals 9AKK108	
Reporting Template (CMRT)	8467A5658
REACH Declaration 2CMT202	22-006480
	22-006499
RoHS Status Following EU Directive 2011/65/EU and Amendment 2015/863 July Toxic Substances Control Act - TSCA 2CMT202	ly 22, 2019 123-006522
WEEE B2C / B2B Business To	o Busines
WEEE Category 5. Small Equipment (No External Dimension More Th	han 50 cm
Certificates and Declarations	
Declaration of Conformity  No declaration	ion needer
- CE	
Container Information	

HK20 3/3

Package Level 1 Units	bag 1 piece
Package Level 1 Width	300 mm
Package Level 1 Depth / Length	400 mm
Package Level 1 Height	30 mm
Package Level 1 Gross Weight	1.47 kg
Package Level 1 EAN	7350024461183

Classifications	
eClass	V11.0 : 27371392
ETIM 7	EC002886 - Accessories for agreement switch
ETIM 8	EC002886 - Accessories/spare parts for agreement switch
ETIM 9	EC002886 - Accessories/spare parts for agreement switch
IDEA Granular Category Code (IGCC)	1708 >> Control cable
UNSPSC	26121603
Object Classification Code	W
E-Number (Finland)	2307372

## Categories

 $\label{eq:low-Voltage-Products} \begin{tabular}{ll} Low Voltage Products and Systems $\rightarrow$ Control Products $\rightarrow$ Safety Products $\rightarrow$ Cables and Connectors \\ Low Voltage Products and Systems $\rightarrow$ Control Products $\rightarrow$ Safety Products $\rightarrow$ Safety Control Devices \\ \end{tabular}$ 

