



PRODUCT-DETAILS

JSTD25K

JSTD25K Two-Hand device



General Information	
Extended Product Type	JSTD25K
Product ID	2TLA020007R6900
EAN	7350024479690
Catalog Description	JSTD25K Two-Hand device
Long Description	JSTD25K is a two-hand device with two JSTD1-B Safeball and one emergency stop button Smile 10 EK. The Safeball are mounted on each end of a 44x88 aluminum profile designed for two-hand applications. The emergency stop button is mounted on top. All are pre-wired to a M12-8 male connector. The Safeball are protected by flanges. The JSTD25 control stations are pre-built two-hand devices offering the good ergonomics of Safeball. They can be used as fixed devices that are easy to install, or as mobile devices. All models are equipped with flanges to protect the Safeball from accidental operation, and from damage if the device is dropped on the floor when used as mobile device.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365011
Product Main Type	JSTD25
Product Name	Two-Hand device
Special Functions	Emergency Stop Button

Popular Downloads

Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172185M0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions

Product Net Depth / Length	90.5 mm
Product Net Height	189 mm
Product Net Width	364 mm
Product Net Weight	1.52 kg

Technical

Connection Configuration	M12-8 male
--------------------------	------------

Environmental

Degree of Protection	IP65
----------------------	------

Material Compliance

Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
SCIP	29da466d-5545-41d3-a58c-aecc482936fa Sweden (SE)
Simplified SCIP	d74cc69f-2cad-471a-b3ae-cd572b4cdcac Germany (DE) 7eeb7e85-5bcc-4407-b776-be0d5298f15b Belgium (BE) a7c7b99a-b165-48bb-bffd-b9dd1796b35c Poland (PL) 38f3bb4d-eb75-4e19-a0dd-d92bbad0c0ae Norway (NO) 848765b2-8107-4d04-964d-f9eb2e32a4a6 Finland (FI) 6aae65fd-d9cd-498e-9d12-3239371fbb16 Belgium (BE) b794e5f9-f3e3-4609-98af-188dd882e59a Italy (IT) a6759c51-6e5e-4a40-94ce-0637eaa89d0d Poland (PL) 9401389f-fcfe-44dc-bcca-3e00afc21f21 France (FR) fd9ca9f4-b6a3-46ca-91b1-f0996d49907b Germany (DE) 1dc37fe7-ebd5-41ef-bde4-6450b89c13d2 Germany (DE) 1fd76311-b91b-4f3a-b3c0-de04b59967a4 France (FR) 866ed2d0-ce60-4d8c-ad81-ba52c36fa3d9 Hungary (HU) af1f3279-383e-47b3-ad66-64161824cf19 Spain (ES) 21f856cd-eac1-4111-a526-87421e2f078e Greece (GR) 860f8146-9412-4c41-bb88-15efd1a0b2f2 Portugal (PT) e6b595ba-9cb8-4dcd-85f2-cf9c15d12a02 Bulgaria (BG) c18426af-6e3c-4617-b259-03e254ef9756 Sweden (SE) d15fe007-e4e1-4069-8b3b-a13d00c81a68 Germany (DE) 3b88004c-5e21-49bd-8c27-8742844ae165 Denmark (DK) 1394280c-537e-49a8-9d51-bfc22abb1f28 Germany (DE) 969c6b02-77ba-44fa-8bee-94c2959ea821 Croatia (HR) a7699376-0666-4c38-97a8-0e7bc3d98aed Czech Republic (CZ) f2410422-3b6a-4203-9e56-948bc4c72f62 Poland (PL) 8d1d300f-b584-4c9b-b107-6ce42a33c5df Netherlands (NL) c16a63ad-e260-4b09-a405-47c7f1fb8ad1 Hungary (HU) 3b6d4bae-b853-4471-8cf8-230edc0a3c92 Estonia (EE)
Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations

Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC172023D0201
Declaration of Conformity - UKCA	2TLC010204D0201

Container Information

Package Level 1 Units	1 piece
Package Level 1 Width	382 mm
Package Level 1 Depth / Length	204 mm
Package Level 1 Height	95 mm
Package Level 1 Gross Weight	1.67 kg
Package Level 1 EAN	7350024479690

Classifications

eClass	V11.0 : 27371219
ETIM 7	EC001260 - Two-hand control device
ETIM 8	EC001260 - Two-hand control device
ETIM 9	EC001260 - Two-hand control device
IDEA Granular Category Code (IGCC)	3584 >> Safety Control Module
UNSPSC	32151802
Object Classification Code	B

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Control Devices → JSTD25

