M12 protection cap 1/3



PRODUCT-DETAILS

M12 protection capM12 protection cap Connection accessory



General Information	
Extended Product Type	M12 protection cap
Product ID	2TLA020055R2100
EAN	7350024452334
Catalog Description	M12 protection cap Connection accessory
Long Description	M12 protection cap is used to protect a M12 male connector from dust.
Ordering	
	4 .
Minimum Order Quantity	1 piece
Customs Tariff Number	85444920
Product Main Type	M12 connection
Product Name	Connection accessory
Popular Downloads	
Data Sheet, Technical Information	2TLC010001C0202
CAD Dimensional Drawing	2CDC001079B0201

M12 protection cap 2/3

Dimensions	
Product Net Depth / Length	5 mm
Product Net Height	10 mm
Product Net Width	5 mm
Product Net Weight	0.002 kg
Technical	
Rated Control Supply Voltage (U _s)	24 V
Suitable For	Devices and cables with M12 male connector.
W	
Material Compliance Conflict Minerals	00///10046745550
Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE Category	Product Not in WEEE Scope
Certificates and Declarations Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	No declaration needed
Declaration of Conformity - UKCA	No declaration needed
Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	6 mm
Package Level 1 Depth / Length	6 mm
Package Level 1 Height	11 mm
Package Level 1 Gross Weight	0.1 kg
Package Level 1 EAN	7350024452334
0	
Classifications	
eClass	V11.1 : 27279090
ETIM 7	EC003015 - Accessories for sensor technology
ETIM 8	EC003015 - Accessories/spare parts for sensor technology
ETIM 9	EC003015 - Accessories/spare parts for industrial sensors
IDEA Granular Category Code (IGCC)	5219 >> Switch part or accessory
UNSPSC	39122221
Object Classification Code	X

M12 protection cap 3/3

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Cables\ and\ Connectors$

