



PRODUCT-DETAILS

RSA 597 1.5m cable

RSA 597 1.5m cable Pluto safe encoder



General Information	
Extended Product Type	RSA 597 1.5m cable
Product ID	2TLA020070R3300
EAN	7320500410882
Catalog Description	RSA 597 1.5m cable Pluto safe encoder
Pluto safe absolute encoder RSA 597, single turn, 1.5m cable, 6mm solid shaft.	
Long Description	Together with Pluto, rotational absolute encoders can be used for safe position and speed determination of machine. The programming is done with ready made function blocks in Pluto Manager.
Safety level up to PL e/SIL3.	

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	90291000
Product Main Type	Pluto encoder
Product Name	Pluto safe encoder
Function	Single-turn

Popular Downloads	
Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172006M0205
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions	
Cable Length	1.5 m
Product Net Depth / Length	87 mm
Product Net Height	58 mm
Product Net Width	58 mm
Product Net Weight	0.38 kg

Technical	
Protocol Type	Pluto Safety Bus
Suitable For	Pluto AS-i v2 Pluto A20 v2 Pluto B20 v2 Pluto B22 Pluto B42 AS-i Pluto B46 v2 Pluto D20 Pluto D45 Pluto D45 (Harsh Env) Pluto O2
Supply Voltage	24 V DC

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Certificates and Declarations	
CQC Certificate	No declaration needed
Declaration of Conformity - CCC	No declaration needed
Declaration of Conformity - CE	2TLC172014D0201
Declaration of Conformity - UKCA	2TLC010186D0201

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	90 mm
Package Level 1 Depth / Length	135 mm

