Orion1-4-30-015-B 1/3



## PRODUCT-DETAILS

## Orion1-4-30-015-B Orion1-4-30-015-B Safety light curtain



General Information		
Extended Product Type	Orion1-4-30-015-B	
Product ID	2TLA022302R0000	
EAN	7350024481501	
Catalog Description	Orion1-4-30-015-B Safety light curtain	
	Orion1 Base Light Curtain, Transmitter + Receiver, Resolution=30mm (hand), Protected height=150mm, Range=0.2-19m, Type 4.	
Long Description	Orion1 Base is an easy to use light curtain with compact dimensions and two resolutions for detection of fingers and hands. Light curtains are usually used closed to the hazardous zone when repeated access to the machine is necessary, for example manually serviced machines. Light curtains can also be used to limit work zones inside the hazardous area and be mounted horizontally for area protection.	

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	9031499000

## Popular Downloads

Orion1-4-30-015-B 2/3

Data Sheet, Technical		2TLC010001C0202	
Information Instructions and Manuals		2TLC172287M0201	
Marketing Video		9AKK10103A4645 2TLC010018N0201	
Dimensions			
Product Net Depth /		37 mm	
Length Product Net Height		0.233 m	
Product Net Width		65 mm	
Product Net Weight		0.606 kg	
Technical			
Device Resolution		30 mm	
Operating Distance (S <sub>n</sub> )		0.219	
Optical Field Protected Height	150 mm		
Type of Optical Detection		Finger and hand without muting	
Material Compliance			
Conflict Minerals Reporting Template (CMRT)		9AKK108467A5658	
REACH Declaration		2CMT2022-006480	
RoHS Information		2CMT2022-006499	
RoHS Status	Following EU Directive 2011/65/EU	and Amendment 2015/863 July 22, 2019	
Toxic Substances Control Act - TSCA		2CMT2023-006522	
WEEE B2C / B2B		Business To Business	
WEEE Category	5. Small Equipment (N	No External Dimension More Than 50 cm)	
Certificates and Declarations			
Declaration of Conformity - CCC	No declaration needed		
Declaration of Conformity - CE	2TLC010141D0201		
Declaration of Conformity - UKCA		2TLC010169D0201	
TÜV Certificate		2TLC172265D0201	
<u>UL Certificate</u>		2TLC172301D0201	
Classifications			
E-Number (Sweden)		3832358	
ETIM 4		EC002716 - One-way light barrier	
ETIM 5		EC002716 - One-way light barrier	
ETIM 6		EC002549 - Light curtain	
ETIM 7 ETIM 8		EC002549 - Light curtain EC002549 - Light curtain	
ETIM 9		EC002549 - Light curtain	
Object Classification Code		B	
UNSPSC		46171620	
<u>eClass</u>		V11.0 : 27270910	
© 2024 ABB. All rights reserved.	2024/04/12	Subject to change	

Orion1-4-30-015-B 3/3

## Categories

 $Low\ Voltage\ Products\ \rightarrow \ Control\ Products\ \rightarrow \ Safety\ Products\ \rightarrow \ Optical\ Safety\ Devices$ 





