Orion1-4-30-165-B 1/3



PRODUCT-DETAILS

Orion1-4-30-165-B Orion1-4-30-165-B Safety light curtain

General Information		
Extended Product Type	Orion1-4-30-165-B	
Product ID	2TLA022302R1000	
EAN	7350024481600	
Catalog Description	Orion1-4-30-165-B Safety light curtain	
	Orion1 Base Light Curtain, Transmitter + Receiver, Resolution=30mm (hand), Protected height=1650mm, Range=0.2-19m, Type 4.	
Long Description	Orion1 Base is an easy to use light curtain with compact dimensions and two resolutions for detection of fingers and hands. Light curtains are usually used closed to the hazardous zone when repeated access to the machine is necessary, for example manually serviced machines. Light curtains can also be used to limit work zones inside the hazardous area and be mounted horizontally for area protection.	

i opulai Dowilloads	Po	pular	Down	loads
---------------------	----	-------	------	-------

Minimum Order Quantity

Customs Tariff Number

Ordering

1 piece

Orion1-4-30-165-B 2/3

Data Sheet, Technical Information		2TLC010001C0202
Instructions and Manuals		2TLC172287M0201
Marketing Video		9AKK10103A4645
		2TLC010018N0201
Dimensions		
Product Net Depth /		37 mm
Length		4.70
Product Net Height		1.73 m
Product Net Width Product Net Weight		65 mm 4.506 kg
Technical		
Device Resolution		30 mm
Operating Distance (S _n)		0.219
Optical Field Protected Height		1650 mm
Type of Optical Detection		Finger and hand without muting
Material Compliance		
Conflict Minerals Reporting Template (CMRT)		9AKK108467A5658
REACH Declaration		2CMT2022-006480
RoHS Information		2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU	and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA		2CMT2023-006522
WEEE B2C / B2B	Business To Business	
WEEE Category	4. Large Equipment (Ar	ny External Dimension More Than 50 cm)
Certificates and Declarations		
Declaration of Conformity - CCC		No declaration needed
Declaration of Conformity - CE		2TLC010141D0201
Declaration of Conformity - UKCA		2TLC010169D0201
TÜV Certificate		2TLC172265D0201
<u>UL Certificate</u>		2TLC172301D0201
Classifications		
E-Number (Sweden)		3832368
E-Number (Sweden) ETIM 4		5032300 EC002716 - One-way light barrier
ETIM 5		EC002716 - One-way light barrier
ETIM 6		EC002549 - Light curtain
ETIM 7		EC002549 - Light curtain
ETIM 8		EC002549 - Light curtain
ETIM 9		EC002549 - Light curtain
Object Classification Code		В
UNSPSC		46171620
eClass		V11.0 : 27270910
© 2024 ABB. All rights reserved.	2024/04/12	Subject to chan

Orion1-4-30-165-B 3/3

Categories

 $Low\ Voltage\ Products\ \rightarrow \ Control\ Products\ \rightarrow \ Safety\ Products\ \rightarrow \ Optical\ Safety\ Devices$

