

PRODUCT-DETAILS

Orion3-4-K2C-120-B Orion3-4-K2C-120-B Safety light grid - Active part

| tended Product Type | Orion3-4-K2C-120-B |
|---------------------|---|
| oduct ID | 2TLA022306R0300 |
| Ν | 7350024481846 |
| talog Description | Orion3-4-K2C-120-B Safety light grid - Active part |
| | Orion3 Base Light Grids, Active unit, 4 beams, Protected height=1200mm, Range=0.5-8m, Type 4. |
| ng Description | Orion3 Base is a light grid with a sturdy profile for access protection. Only one of the parts needs power supply, since both transmitter and receiver are in the same active part. The other part is passive with mirrors to reflect the beams. With 2-4 beams and an operating range of up to 8 m, it is intended for body detection. |
| | needs power supply, since both transmitter and receiver are in the sal other part is passive with mirrors to reflect the beams. With 2-4 beam |

| Ordering | |
|------------------------|------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 9031499000 |
| | |

Data Sheet, Technical

© 2024 ABB. All rights reserved.

2TLC010001C0202

2024/04/12

Subject to change without notice

| Information | |
|--------------------------|-----------------------------------|
| Instructions and Manuals | 2TLC172289M0201 |
| Marketing Video | 9AKK10103A4645 2TLC010018N0201 |

| Dimensions | |
|-------------------------------|--------|
| Product Net Depth / Length | 57 mm |
| Product Net Height | 1.31 m |
| Product Net Width | 52 mm |
| Product Net Weight | 2.6 kg |

| Technical | |
|--------------------------------------|--|
| Device Resolution | 419.75 mm |
| Operating Distance (S _n) | 0.58 |
| Optical Field Protected Height | 1200 mm |
| Type of Optical Detection | Body up to 8 m without mutina. one side connection |

| Material Compliance | |
|---|--|
| Conflict Minerals Reporting Template (CMRT) | 9AKK108467A5658 |
| REACH Declaration | 2CMT2022-006480 |
| RoHS Information | 2CMT2022-006499 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006522 |
| WEEE B2C / B2B | Business To Business |
| WEEE Category | 4. Large Equipment (Any External Dimension More Than 50 cm) |

| Certificates and Declarations | |
|-------------------------------------|-----------------------|
| Declaration of Conformity - CCC | No declaration needed |
| Declaration of Conformity - CE | 2TLC010141D0201 |
| Declaration of Conformity - UKCA | 2TLC010169D0201 |
| TÜV Certificate | 2TLC172265D0201 |
| UL Certificate | 2TLC172301D0201 |
| | |

| Classifications | |
|----------------------------|-------------------------------------|
| E-Number (Sweden) | 3830953 |
| ETIM 4 | EC002717 - Reflection light barrier |
| ETIM 5 | EC002717 - Reflection light barrier |
| ETIM 6 | EC002549 - Light curtain |
| ETIM 7 | EC002549 - Light curtain |
| ETIM 8 | EC002549 - Light curtain |
| ETIM 9 | EC002549 - Light curtain |
| Object Classification Code | В |
| UNSPSC | 46171620 |
| eClass | V11.0 : 27270910 |

© 2024 ABB. All rights reserved.

Categories

Low Voltage Products and Systems \rightarrow Control Products \rightarrow Safety Products \rightarrow Optical Safety Devices