

## PRODUCT-DETAILS

## MKey5+ MKey5+ Switch



General Information	
Extended Product Type	MKey5+
Product ID	2TLA050003R0101
EAN	7350024466263
Catalog Description	MKey5+ Switch
	Safety interlock switch, plastic body and head, 40N holding force. 2NO+1NC guard open.

Safety interlock switch, plastic body and head, 40N holding force. 2NO+1NC guard open. 3xM20 conduit entries. Delivered with standard key.

Long Description

MKey are mechanical safety switches used for monitoring doors and hatches. The switch is mounted on the frame and the actuator key on the moving part of the guard. All MKey models have a safe interlocking function. Some MKey models can be locked and depending on the locking signal they can be used either as process locks or safety locks (with a safe unlocking function). MKey switches are available in different material and sizes in order to meet the requirements of different applications.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	8536500700
Product Main Type	MKey
Product Name	Switch
Function	Safety mechanical switch for interlocking

MKey5+ 2/3

Popular Downloads		
Data Sheet, Technical nformation		2TLC010001C0202
nstructions and Manuals		2TLC172244M0201
CAD Dimensional		2CDC001079B0201
Drawing Marketing Video		2TLC010018N0201
Dimensions		
roduct Net Depth / ength		34 mm
Product Net Height		98 mm
Product Net Width		58 mm
Product Net Weight		0.13 kg
Safety Information		
Performance Level (PL)		Up to e
Safety Integrity Level (SIL)		1 2
10d Value Operations at 100 mA Load 2		erations at 100 mA Load 2.5 million
Technical		
Number of Contacts NC Number of Contacts NO		2
Environmental  Ambient Air Temperature		Operation -25 80 °C
Degree of Protection		IP67
Material		Plastic
Material Compliance		
Conflict Minerals Reporting Template CMRT)		9AKK108467A5658
REACH Declaration		2CMT2022-006480
RoHS Information		2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and A	- ·
oxic Substances Control act - TSCA		2CMT2023-006522
VEEE B2C / B2B		Business To Business
VEEE Category	5. Small Equipment (No Ext	ternal Dimension More Than 50 cm)
Certificates and Declarations		
Declaration of Conformity		None available
CCC Declaration of Conformity		2TLC172101D0201
CE Declaration of Conformity		2TLC010183D0201
© 2024 ABB. All rights reserved.	2024/04/12	Subject to change

## - UKCA

UL Certificate	2TLC010020D0201
OL CEITIICATE	21601002000201

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	65 mm
Package Level 1 Depth / Length	150 mm
Package Level 1 Height	40 mm
Package Level 1 Gross Weight	0.205 kg
Package Level 1 EAN	7350024466263

Classifications	
eClass	V11.0 : 27270610
ETIM 7	EC002592 - Position switch with separate actuator
ETIM 8	EC002592 - Position switch with separate actuator
ETIM 9	EC002592 - Position switch with separate actuator
Object Classification Code	<u>B</u>
E-Number (Finland)	2307346
E-Number (Sweden)	3860216

## Categories

 $Low\ Voltage\ Products\ \rightarrow\ Control\ Products\ \rightarrow\ Safety\ Products\ \rightarrow\ Safety\ Sensors,\ Switches\ and\ Locks\ \rightarrow\ MKey$ 

