MKey5+Z 1/4



PRODUCT-DETAILS

MKey5+Z

MKey5+Z Switch



Canara	l Informat	tion

Extended Product Type	MKey5+Z
Product ID	2TLA050003R0121
EAN	7350024466348
Catalog Description	MKey5+Z Switch

Safety interlock switch, stainless steel body and head, 40N holding force. 2NO+1NC guard open. 3xM20 conduit entries. Delivered with standard key.

Long Description

MKey are mechanical safety switches used for monitoring doors and hatches. The switch is mounted on the frame and the actuator key on the moving part of the guard. All MKey models have a safe interlocking function. Some MKey models can be locked and depending on the locking signal they can be used either as process locks or safety locks (with a safe unlocking function). MKey switches are available in different material and sizes in order to meet the requirements of different applications.

_					
n	rd	6	r٦	n	

Minimum Order Quantity	1 piece
Customs Tariff Number	8536500700
Product Main Type	MKey
Product Name	Switch

Safety mechanical switch for interlocking

_	
ΕU	ınction

Popular Downloads	
Data Sheet, Technical Information	2TLC010001C0202
Instructions and Manuals	2TLC172244M0201
CAD Dimensional Drawing	2CDC001079B0201
Marketing Video	2TLC010018N0201

Dimensions	
Product Net Depth / Length	34 mm
Product Net Height	98 mm
Product Net Width	58 mm
Product Net Weight	0.453 kg

Safety Information	
Performance Level (PL)	Up to e
Safety Integrity Level (SIL)	1 2
(SIL)	3
B10d Value	Operations at 100 mA Load 2.5 million

Technical	
Number of Contacts NC	2
Number of Contacts NO	1

Environmental	
Ambient Air Temperature	Operation -25 80 °C
Degree of Protection	IP67 IP69K
Material	Stainless steel

Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE B2C / B2B	Business To Business
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

MKey5+Z 3/4

Certificates and Declarations		
Declaration of Conformity - CCC	None available	
Declaration of Conformity - CE	2TLC172101D0201	
Declaration of Conformity - UKCA	2TLC010183D0201	
UL Certificate	2TLC010020D0201	

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	65 mm
Package Level 1 Depth / Length	150 mm
Package Level 1 Height	40 mm
Package Level 1 Gross Weight	0.53 kg
Package Level 1 EAN	7350024466348

Classifications	
eClass	V11.0 : 27270610
ETIM 7	EC002592 - Position switch with separate actuator
ETIM 8	EC002592 - Position switch with separate actuator
ETIM 9	EC002592 - Position switch with separate actuator
Object Classification Code	В
E-Number (Sweden)	3860220

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Safety\ Products\ \rightarrow\ Safety\ Sensors,\ Switches\ and\ Locks\ \rightarrow\ MKey$

MKey5+Z 4/4

