Sense7 Key 1/3



PRODUCT-DETAILS

Sense7 Key Actuator



General Information	
Extended Product Type	Sense7 Key
Product ID	2TLA050040R0211
EAN	7350024467451
Catalog Description	Sense7 Key Actuator
Long Description	Spare Actuator to Safety Magnetic Switch Sense7, Plastic. +80°C is accepted for short duration during CIP/SIP cleaning.

Ordering	
Minimum Order Quantity	1 piece
Customs Tariff Number	85365005
Product Main Type	Sense Accessory
Product Name	Actuator
Function	Spare part

Popular Downloads

Data Sheet, Technical 2TLC172249M0201 Information

Sense7 Key 2/3

Instructions and Manuals	2TLC172249M0201
Dimoneione	
Dimensions Product Net Depth /	
Length	14 11111
Product Net Height	50 mm
Product Net Width	88 mm
Product Net Weight	0.035 kg
Safety Information	
Safety Integrity Level (SIL)	3
Technical	
Suitable For	Sense7
Environmental	
Ambient Air Temperature	Operation -25 50 °C
Material Compliance	
Conflict Minerals Reporting Template (CMRT)	9AKK108467A5658
REACH Declaration	2CMT2022-006480
RoHS Information	2CMT2022-006499
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
Toxic Substances Control Act - TSCA	2CMT2023-006522
WEEE Category	Product Not in WEEE Scope
Certificates and Declarations	
cULus Certificate	2TLC010041D0201
Declaration of Conformity - CE	2TLC010060D0201
Declaration of Conformity - UKCA	2TLC010184D0201
TÜV Certificate	2TLC172125D0201
Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width Package Level 1 Depth /	
Length	95 mm
Package Level 1 Height	14 mm
Package Level 1 Gross Weight	41 g
Package Level 1 EAN	7350024467451

Sense7 Key 3/3

Classifications	
eClass	V11.0 : 23390192
ETIM 7	EC002544 - Magnetic proximity switch
ETIM 8	EC002544 - Magnetic proximity switch
ETIM 9	EC002594 - Accessories/spare parts for position switches
IDEA Granular Category Code (IGCC)	3268 >> Switch actuator
UNSPSC	31251516
Object Classification Code	R

Categories

 $Low\ Voltage\ Products\ \rightarrow\ Safety\ Products\ \rightarrow\ Safety\ Sensors,\ Switches\ and\ Locks$





