



PRODUCT-DETAILS

Flexible MKey RFID Key

Flexible MKey RFID Key Actuator



| General Information | |
|-----------------------|--|
| Extended Product Type | Flexible MKey RFID Key |
| Product ID | 2TLA050040R0241 |
| EAN | 7350024486926 |
| Catalog Description | Flexible MKey RFID Key Actuator |
| Long Description | Flexible key for MKey RFID safety switches with metal head. Key in stainless steel 316. |
| | MKey are mechanical safety switches used for monitoring doors and hatches. The switch is mounted on the frame and the actuator key on the moving part of the guard. All MKey models have a safe interlocking function. Some MKey models can be locked and depending on the locking signal they can be used either as process locks or safety locks (with a safe unlocking function). MKey switches are available in different material and sizes in order to meet the requirements of different applications. |

| Ordering | |
|------------------------|----------------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 8538909999 |
| Product Main Type | Key switch accessory |
| Product Name | Actuator |

Popular Downloads

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | 2TLC010001C0202 |
| Instructions and Manuals | 2TLC010088M0201 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Depth / Length | 33 mm |
| Product Net Height | 56 mm |
| Product Net Width | 52 mm |
| Product Net Weight | 0.105 kg |

Technical

| | |
|--------------|---|
| Suitable For | MKey9RF Plastic M20 MKey9RFQC Plastic M12 MKey8RF Die-cast M20 MKey8ZRF SS M20 MKey8RFQC Die-cas M12 MKey8ZRFQC SS M12 MKey10RF Die-cast M20 MKey10RFER Die-ca M20 |
|--------------|---|

Material Compliance

| | |
|-------------------------------------|---------------------------|
| REACH Declaration | 2CMT2022-006480 |
| RoHS Information | 2CMT2022-006499 |
| Toxic Substances Control Act - TSCA | 2CMT2023-006522 |
| WEEE Category | Product Not in WEEE Scope |

Certificates and Declarations

| | |
|----------------------------------|-----------------------|
| Declaration of Conformity - CCC | No declaration needed |
| Declaration of Conformity - CE | 2TLC010210D0201 |
| Declaration of Conformity - UKCA | 2TLC010211D0201 |
| UL Certificate | 2TLC010020D0201 |

Container Information

| | |
|--------------------------------|---------------|
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 165 mm |
| Package Level 1 Depth / Length | 100 mm |
| Package Level 1 Height | 35 mm |
| Package Level 1 Gross Weight | 110 g |
| Package Level 1 EAN | 7350024486926 |

| Classifications | | |
|----------------------------|--|------------------|
| eClass | | V11.0 : 27270605 |
| ETIM 7 | EC001487 - Actuator for position switch with separate actuator | |
| ETIM 8 | EC001487 - Actuator for position switch with separate actuator | |
| ETIM 9 | EC001487 - Actuator for position switch with separate actuator | |
| UNSPSC | | 31251516 |
| Object Classification Code | | R |
| E-Number (Finland) | | 2314998 |
| E-Number (Sweden) | | 3861562 |

Categories

Low Voltage Products and Systems → Control Products → Safety Products → Safety Sensors, Switches and Locks

