

PRODUCT-DETAILS

MKey RFID L handle MKey RFID L handle Handle



| General Information | |
|-----------------------|--|
| Extended Product Type | MKey RFID L handle |
| Product ID | 2TLA050040R0600 |
| EAN | 7350024486971 |
| Catalog Description | MKey RFID L handle Handle |
| | Left handle for MKey8RF and MKey9RF. Rugged metal construction that withstands shearing forces of up to 10000N (1000kg) on large hinged doors. Standard MKey RFID key included. |
| Long Description | MKey are mechanical safety switches used for monitoring doors and hatches. The switch is mounted on the frame and the actuator key on the moving part of the guard. All MKey models have a safe interlocking function. Some MKey models can be locked and depending on the locking signal they can be used either as process locks or safety locks (with a safe unlocking function). MKey switches are available in different material and sizes in order to meet the requirements of different applications. |

| Ordering | |
|------------------------|----------------------|
| Minimum Order Quantity | 1 piece |
| Customs Tariff Number | 8536500700 |
| Product Main Type | Key switch accessory |

© 2024 ABB. All rights reserved.

2024/04/12

Subject to change without notice

| Product Name | Handle |
|--------------|-----------|
| Function | Accessory |

| Denular Devenlanda | |
|---|---|
| Popular Downloads | |
| Data Sheet, Technical Information | 2TLC010001C0202 |
| Instructions and Manuals | 2TLC010088M0201 |
| Dimensions | |
| Product Net Depth / Length | 100 mm |
| Product Net Height | 289 mm |
| Product Net Width Product Net Weight | 225 mm 1.9 kg |
| | |
| Technical | |
| Suitable For | MKey9RF Plastic M20 MKey9RFQC Plastic M12 MKey8RF Die-cast M20 MKey8RFQC Die-cas M12 |
| | |
| Material Compliance | |
| REACH Declaration RoHS Information | 2CMT2022-006480 2CMT2022-006499 |
| Toxic Substances | 2CMT2022-006439 |
| Control Act - TSCA | |
| WEEE Category | Product Not in WEEE Scope |
| Certificates and Declarations | |
| Declaration of Conformity - CCC | No declaration needed |
| Declaration of Conformity - CE | 2TLC010210D0201 |
| Declaration of Conformity - UKCA | 2TLC010211D0201 |
| UL Certificate | 2TLC010020D0201 |
| Container Information | |
| Package Level 1 Units | 1 piece |
| Package Level 1 Width | 150 mm |
| Package Level 1 Depth / Length | 100 mm |
| Package Level 1 Height | 350 mm |
| Package Level 1 Gross Weight | 2 kg |
| Package Level 1 EAN | 7350024486971 |

© 2024 ABB. All rights reserved.

Subject to change without notice

| Classifications | | |
|-------------------------------|--|--|
| eClass | V11.0 : 23390192 | |
| ETIM 7 | EC002594 - Accessories for position switches | |
| ETIM 8 | EC002594 - Accessories/spare parts for position switches | |
| ETIM 9 | EC002594 - Accessories/spare parts for position switches | |
| UNSPSC | 39122221 | |
| Object Classification Code | R | |
| E-Number (Sweden) | 3861571 | |

Categories

Low Voltage Products and Systems \rightarrow Control Products \rightarrow Safety Products \rightarrow Safety Sensors, Switches and Locks





